

PHILIPS

Home lighting

Collection 2020

Home Lighting – Collection 2020

The **right light**
is everything



Home Lighting

Collection 2020

A man with a beard, wearing a grey sweater and blue jeans, is sitting on a teal chair at a white table. He is holding a cookie and looking at it. On the table are several vases with flowers, a container with brushes, and some papers. A large, white, geometric pendant light hangs above the table. The background is a plain wall with some framed pictures.

Enhancing life
with light

At Signify, we're leading the way with innovative lighting solutions that inspire people to create the perfect atmosphere around the home.

Our investment in research and design places us at the heart of the LED revolution. We're powering the transition from traditional bulbs to luminaires, new solutions and applications – and showing people ways to enjoy light in a whole new way.

We use light to help families make every area of their living space do more – in ways that save energy and safeguard

the environment. Our lighting choices give people countless ways to express their own style, and create their own solutions with different ways to control light and use contemporary effects, colors and shades.

We also want every one of our customers to have the information and confidence they need to find the right product every time.



“For us, the perfect light and atmosphere is what turns a good home into a beautiful one.”

PHILIPS



With every person, comes a different style. Style can be defined by a lot of things, including the place we live. And as lighting can define a home in the way it looks and how it feels, choosing a lamp is also an expression of our own style. This particular style, we call light style.

Create your own light style with Philips Decorative Lighting. Philips' extensive range of decorative pendants, wall lamps, ceiling lamps, table lights and floor stands will complete your home interior design. We are also launching

several new collections of lamps to create your ideal light experience, helping you to work, entertain, relax or rest. Quality materials and attention to design, details and finishing complements your decor.





Create your own
light style




PHILIPS

WarmGlow dimming

the more you dim, the warmer the light



The Philips Warm Glow range delivers a warm glow light effect taking LED dimming to new level by creating a warm, relaxing ambience for your consumers' precious moments.



WarmGlow dimming vs LED dimming



Both lumen output and color temperature changes.



Only lumen output changes.



Unique dimming technology



Philips is the first to introduce LED spots that work with all dimmers. Simply use your current dimmer, or any dimmer you want!



click!FIX

It's easy and quick!



No more worries or frustrations when mounting your new spot lights. Philips introduces click!FIX – a new way to mount your lights in 4 easy steps.



SceneSwitch

One fixture. **Your switch.** Three light settings.



Some situations call for a bright functional light, others benefit from the ambiance of a soft light. With the Philips SceneSwitch LED spots, you can easily change the setting from bright light, to natural light and to a cozy warm glow. No dimmer or additional installation required. All you need is your existing switch.

How does SceneSwitch work?

Three light settings*

This allows you to switch from **functional lighting** to **natural light** and to a **cosy warm glow**.



Simply plug and play

No dimmer or additional installation needed.
Works with your existing light switch on the wall.

* 2700k 100% - 2500k 40% - 2200k 10%



It's amazing what Philips LED lighting
can do for you




Powerful, warm and energy saving, Philips LED is a lighting revolution for your home

Today's LED technology is ready to take centre stage in your home as the main source of light. Powerful, warm and even, LED light is beautiful to view and a wonder to experience. It's innovative too – many Philips LEDs have special optics that allow you to create stunning new light effects. Whether you want to define a wall or feature with a directional beam of light, or illuminate a room evenly, Philips LED lighting lets you do it all.


With LED, variety means there's always a light effect or luminaire design to get the most out of your home. LED technology allows ground-breaking designs of inspiring purity and beauty, and Philips offers the widest range available. LED provides incredible energy efficiency too, all without sacrificing light quality, power output or choice. No doubt about it – there's a bright future for LED technology, and Philips is leading the revolution bringing it to your home.

Discover the benefits of the latest Philips high-power LEDs

Halogen



CFL Lamp



LED



Warm ambiance



Warm white light for a comfortable atmosphere



Dimmable light for the perfect ambiance (depending on articles)



Brings out vivid colors in your home



Light turns on in an instant

Eco-efficient



Long lifetime



Low energy costs





EU policy on Energy Label for lamps and luminaires

EU 874/2012

What is it?

With regulation (EU) no. 874/2012 regarding energy labelling of electrical lamps and luminaires it is required that our consumers - the end users, are informed about the energy efficiency of our products. The EEL conformity will be in place from 01.09.2013 (for Lamps) and 01.03.2014 (for Luminaires).



Our approach:

How we translate this in this catalogue?

example 1

Homroo
33178/17/16
180 → 80 / 100
G9 - 1x 42W incl. - 630 lm - 2800K
⊕ - IP20
glass - metal

The luminaire is sold with a bulb of the energy class mentioned

This luminaire is also compatible with bulbs for the range of energy classes mentioned (in this example C-D-E)

example 2

Robin
15473/30/16
1855 → 174 / 174
LED - 1x 4,5W incl. - 430 lm - 2700K
⊕ - IP44
aluminium - synthetics





This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.

Content

Introduction	03
Living Room	16
Decorative	22
Contemporary	24
Heritage	36
Wall & Ceiling	38
Contemporary	40
Heritage	56
Spots	66
Contemporary	68
Essentials Contemporary	104
Bathroom	114



Functional Lighting	128
---------------------	-----

MoodLighting	144
--------------	-----

LightStrips	146
-------------	-----

Outdoor	150
---------	-----

myGarden Solar	152
----------------	-----

myGarden	154
----------	-----

Sensor lights	204
---------------	-----

Orientation lights	210
--------------------	-----

Index	214
-------	-----



Living room

The living room is
the heart of any home

A place where families gather and relax and guests socialise. Lighting for this area has to be flexible and easy to adjust to its different uses throughout the day. Careful placement of different light sources and playing with light layering helps create the feeling of space and to give the room a warm and welcoming feel.



myLiving Contemporary

Everything you need to save in style

Current, understated yet distinctly stylish, Philips myLiving Contemporary collection spans from floor, table, wall and ceiling lights. Designed around the latest tastes, trends and lifestyles, they blend effortlessly into your décor and bring out the best in your home.

Whether it's a cosy corner to curl up with a book or an open area to entertain friends and family, you can now set the theme for any area of your home using hue and textures to define that localised ambiance that you have always desired.

Highlights



26

Mohair



93

Pongee

Tip

"For a dramatic effect on your objet d'art, use a pair of directional spots over it. At the correct distance from the wall, these spots cast a flattering wash of light over it and add drama to your display."



Concept **benefits**



Superior light quality
with Philips lamps included



Dimmable to create ambiance at
home (on selected articles)



Warm white light – based on
various light technologies



myLiving Heritage

Timeless class and **crafted elegance**

Philips myLiving Heritage exudes timeless class and crafted elegance. With their subdued and modest forms, myLiving Heritage are particularly suited for those that seek harmony in timeless interiors.

The lamps are sturdy and well-made, with crafted fabrics, metals and glass that enhance the feeling of quality. To help diffuse the light and create a softer ambience, they also have textured finishes, carvings and other embellishments; while a tasteful color palette of natural hues helps complete the effect. A perfect way to create that cozy and homely feel, with a timeless look.

Highlights



37

Surrey



140

Donegal

Tip

"To decide the placement of light sources, one must first determine the purpose of the room — study, rest, sleep, work or play. These functions should be clear before the process of lighting."



Concept **benefits**



Superior light quality
with Philips lamps included



Dimmable to create ambiance at
home (on selected articles)



Warm white light – based on
various light technologies



myLiving Decorative

Decorate your home
with light

myLiving Decorative collection is stunning and evocative, with a focus on premium design and high-quality materials. Each piece offers clean lines and a harmonious use of materials like glass, metal and fabrics that complement any room or style. Together, they offer inspiring interior solutions and a quality of light that brings out the best in any home.

For easy selection, Philips myLiving collection is classified around the home decor spectrum – Contemporary and Heritage for your convenience.

The **right lightstyle** to make a brilliant impression



Chiffon 60Cm
40933/31/PN

↑ 2075 ↔ 590 ↗ 590
E27 - 1x max. 60W excl.
☐ - IP20
synthetics



Chiffon 80Cm
40934/31/PN

↑ 1915 ↔ 800 ↗ 800
E27 - 1x max. 60W excl.
☐ - IP20
synthetics



Bring stunning effects to your living room.
With a lamp that adds a touch of modern playfulness,
both when you turn the light on and off.




Amazing
light
effect

Chiffon
40963/31/PN

1 507 ↔ 500 / 200
E27 - 1x max. 60W excl.
⊕ - IP20
synthetics



Amazing
light
effect



**Mohair
40887/31/PN**

1 2050 ↔ 520 / 495

E27 - 1x max. 60W excl.

☐ - IP20

synthetics



**Mohair
40887/30/PN**


1 2050 ↔ 520 / 495

E27 - 1x max. 60W excl.

☐ - IP20

synthetics





Ring
40913/31/PN

1 2080 → 503 ↗ 503
E27 - 1x max. 60W excl.
□ - IP20
synthetics



Ring
40913/30/PN

1 2080 → 503 ↗ 503
E27 - 1x max. 60W excl.
□ - IP20
synthetics



**Amazing
light
effect**



**Sandalwood 60Cm
40917/31/PN**

1 1980 → 600 ↗ 600

E27 - 1x max. 60W excl.

☐ - IP20

textile



**Sandalwood 80Cm
40918/31/PN**

1 2100 → 800 ↗ 800

E27 - 1x max. 60W excl.

☐ - IP20

textile




Amazing
light
effect





Corkwood
40914/21/PN

1 2060 → 520 ↗ 520
E27 - 1x max. 60W excl.
□ - IP20
synthetics



Amazing
light
effect



E cru
40950/31/PN

1 1855 → 572 ↗ 455

E27 - 1x max. 60W excl.

☐ - IP20
textile





**Hexagon
38922/17/P1**

† 1440 → 278 √ 120

LED - 1x 22W incl. - 2100 lm - 3000K

□ - IP20

metal



**Hexagon
38921/17/P1**

† 615 → 200 √ 100

LED - 1x 10W incl. - 900 lm - 3000K

□ - IP20

metal



Contemporary lighting for your home

Enjoy the beauty of rounded shapes in a soft taupe color. This floor lamp in high end metal adds elegance to your home. It radiates a warm atmosphere and brightens up your living space. Just turn on the light for cozy gatherings.



Himroo
36056/31/E7

11420 → 225 / 225
E27 - 1x max. 15W excl.
□ - IP20
metal





Limba
36017/38/E7

1 500 → 260 ↗ 260

E27 - 1x max. 40W excl.

☐ - IP20

textile - metal



Tunnel
40954/31/PN

1 1895 → 440 ↗ 440

E27 - 1x max. 60W excl.

☐ - IP20

metal



Limba
36018/38/E7

1 1500 → 350 ↗ 350

E27 - 1x max. 40W excl.

☐ - IP20

textile - metal





Donne
36134/38/E7

11552 ↔ 607 ↗ 350

E27 - 1x max. 40W excl.

☐ - IP20

textile - metal





Drin
42261/30/16

1 1910 ↔ 250 ↗ 360

E27 - 1x 23W incl.- 1570 lm - 2700K

□ - IP20

metal



Drin
42261/87/16

1 1910 ↔ 250 ↗ 360

E27 - 1x 23W incl.- 1570 lm - 2700K

□ - IP20

metal



Real
copper



Durham
36032/30/E7

11780 → 395 / 395

E27 - 1x max. 40W excl.

⊕ - IP20

metal





Surrey
36532/30/E7

1 1780 → 395 / 395

E27 - 1x max. 40W excl.

⊕ - IP20

metal - copper



Surrey
36532/05/E7

1 1780 → 395 / 395

E27 - 1x max. 40W excl.

⊕ - IP20

metal - copper



Surrey
36539/05/E7

1 1780 → 395 / 395

E27 - 1x max. 40W excl.

⊕ - IP20

metal - copper





myLiving Wall & Ceiling


Beautiful diffused warm
white light, flicker free

Philips myLiving Wall & Ceiling collection creates a beautiful warm white light that's bright and even for everyday illumination. The high-quality Philips light is powerful and versatile. Whether it is mounted on the ceiling or on the wall, this collection is well-suited to brighten up any room.

The right light for the right moment



Remote control pre-set light scenes



Haraz new 61079/31/P5

170 → 650 / 650

LED75W incl. - 6000 lm - 2700K

☐ - IP20

synthetics



Haraz new 61083/31/P5

157 → 455 / 455

LED30W incl. - 2800 lm - 2700K

☉ - IP20

synthetics



Haraz new 61086/31/P5

170 → 698 / 698

LED75W incl. - 6000 lm - 2700K

☐ - IP20

synthetics





Brown (CL800)
8718696173831



1 550 ↔ 90 / 90

LED - 1x 32W incl. - 4300 lm - 2700-6500K

⊕ - IP20

synthetics



Brown (CL800)
8718696173848



1 430 ↔ 80 / 80

LED - 1x 28W incl. - 3600 lm - 2700-6500K

⊕ - IP20

synthetics



Remote control pre-set light scenes



Toba (CL505)
8718699680954



1 85 ↔ 368 / 368

LED - 1x 23W incl. - 2800 lm - 2700-6500K

⊕ - IP20

synthetics



One fixture. **Your switch.**
Three light settings.



SceneSwitch 3 light settings*



100%



50%



10%



Cavanal new
32809/31/P0

1 67 → 350 ↗ 350

LED18W incl. - 1500 lm - 2700K

⊙ - IP20

synthetics



Cavanal new
32810/31/P0

1 70 → 298 ↗ 298

LED18W incl. - 1500 lm - 2700K

⊙ - IP20

synthetics



* three light settings - 100%, 50%, 10%



SuperSlim (CL550)
8718699680978



1 230 → 300 ↗ 300

LED - 1x 18W incl.- 1500 lm - 2700K

⊕ - IP20

synthetics



SuperSlim (CL550)
8718699680992



1 230 → 300 ↗ 300

LED - 1x 18W incl.- 1700 lm - 4000K

⊕ - IP20

synthetics



SuperSlim (CL550)
8718699681012



1 230 → 250 ↗ 250

LED - 1x 15W incl.- 1300 lm - 2700K

⊕ - IP20

synthetics



SuperSlim (CL550)
8718699681074

1 230 → 250 ↗ 250

LED - 1x 15W incl.- 4000K

⊕ - IP20

synthetics





Wawel Led Tunable 31821/31/P5

1 66 ↔ 350 ↗ 350

LED - 1x 17W incl. - 1600 lm - 2700K

⊕ - IP20
synthetics



SceneSwitch 3 light settings*



Wawel Led Tunable 31822/31/P5

1 66 ↔ 380 ↗ 380

LED - 1x 20W incl. - 2000 lm - 2700K

⊕ - IP20
synthetics



Wawel Led Tunable 31823/31/P5

1 69 ↔ 480 ↗ 480

LED - 1x 36W incl. - 3200 lm - 2700K

⊕ - IP20
synthetics



Beautiful diffused warm white light, flicker free

Clean lines and gentle curves are the secret elements of this chrome wall light. It masters the contemporary look and adds character and life to your living space.

Experience the touch of warm energy saving light.



Twirly
8718696129586



1 65 → 347 ↗ 347

LED - 1x 17W incl. - 1900 lm - 4000K

⊕ - IP20

synthetics



Twirly
8718696129579



1 65 → 347 ↗ 347

LED - 1x 17W incl. - 1900 lm - 4000K

⊕ - IP20

synthetics





**Twirly
31814/31/16**



1 60 → 290 / 290

LED - 1x 12W incl. - 1200 lm - 2700K

⊕ - IP20

synthetics



**Twirly
31814/87/16**



1 60 → 290 / 290

LED - 1x 12W incl. - 1200 lm - 2700K

⊕ - IP20

synthetics



**Twirly
31815/31/16**



1 66 → 350 / 350

LED - 1x 17W incl. - 1700 lm - 2700K

⊕ - IP20

synthetics



**Twirly
31815/87/16**



1 66 → 350 / 350

LED - 1x 17W incl. - 1700 lm - 2700K

⊕ - IP20

synthetics



**Twirly
31814/31/17**



1 60 → 290 / 290

LED - 1x 12W incl. - 1400 lm - 4000K

⊕ - IP20

synthetics



**Twirly
31814/87/17**



1 60 → 290 / 290

LED - 1x 12W incl. - 1400 lm - 4000K

⊕ - IP20

synthetics





Moire (CL200) 6W
8718699696214

1 68 → 225 ↗ 225

LED - 1x 6W incl. - 475 lm - 2700K

☉ - IP20

synthetics



A⁺



Moire (CL200) 6W
8718699681036

1 68 → 225 ↗ 225

LED - 1x 6W incl. - 600 lm - 2700K

☉ - IP20

synthetics



A⁺



Moire (CL200) 6W
8718699681050

1 68 → 225 ↗ 225

LED - 1x 6W incl. - 640 lm - 4000K

☉ - IP20

synthetics



A⁺



Moire (CL200) 10W
8718699681098

1 68 → 250 ↗ 250

LED - 1x 10W incl. - 1000 lm - 2700K

☉ - IP20

synthetics



A⁺



Moire (CL200) 10W
8718699681111

1 68 → 250 ↗ 250

LED - 1x 10W incl. - 1100 lm - 4000K

☉ - IP20

synthetics



A⁺



Moire (CL200) 17W
8718699681135

1 68 → 320 ↗ 320

LED - 1x 17W incl. - 1700 lm - 2700K

☉ - IP20

synthetics



A⁺



Moire (CL200) 17W
8718699681159

1 68 → 320 ↗ 320

LED - 1x 17W incl. - 1900 lm - 4000K

☉ - IP20

synthetics



A⁺



**Cinnabar
33361/31/16**

170 ↔ 250 ↗ 250

LED - 4x 1,5W incl. - 600 lm - 2700K

⊕ - IP20

synthetics - metal



**Cinnabar
33361/31/17**

170 ↔ 250 ↗ 250

LED - 4x 1,5W incl. - 640 lm - 4000K

⊕ - IP20

synthetics - metal



**Cinnabar
33362/31/16**

179 ↔ 320 ↗ 320

LED - 4x 3,5W incl. - 1300 lm - 2700K

⊕ - IP20

synthetics - metal



**Cinnabar
33362/31/17**

179 ↔ 320 ↗ 320

LED - 4x 4W incl. - 1500 lm - 4000K

⊕ - IP20

synthetics - metal



**Cinnabar
33365/31/16**

1106 ↔ 404 ↗ 404

LED - 4x 5W incl. - 2000 lm - 2700K

⊕ - IP20

synthetics - metal



**Cinnabar
33365/31/17**

1106 ↔ 404 ↗ 404

LED - 4x 5W incl. - 2000 lm - 4000K

⊕ - IP20

synthetics - metal





**Maue
33365/31/P0**

1106 → 404 / 404

LED - 4x 5W incl. - 2000 lm - 2700K

☼ - IP20

synthetics



**Maue
32096/31/P0**

170 → 265 / 265

LED - 4x 2,5W incl. - 1000 lm - 2700K

☼ - IP20

synthetics



**Maue PIR
62234/31/P0**

182 → 320 / 320

LED - 4x 4W incl. - 1300 lm

☼ - IP20

synthetics



**Maue PIR
62233/31/P0**

179 → 254 / 254

LED - 4x 1,5W incl. - 600 lm

☼ - IP20

synthetics



**Maue Led Ceiling
31110/31/P0**

175 → 322 / 322

LED - 1x 17W incl. - 1700 lm - 2700K

☼ - IP20

synthetics



**Maue Led Ceiling
31110/31/P3**

175 → 322 / 322

LED - 1x 17W incl. - 2000 lm - 4000K

☼ - IP20

synthetics





**Suede
31801/31/16**

179 → 280 ↗ 280

LED - 4x 2,4W incl. - 1100 lm - 4000K

⊕ - IP20

synthetics



**Suede
31802/31/16**

199 → 380 ↗ 380

LED - 4x 5W incl. - 2350 lm - 4000K

⊕ - IP20

synthetics



**Suede
31803/31/16**

1112 → 500 ↗ 500

LED - 4x 9W incl. - 3300 lm - 4000K

⊕ - IP20

synthetics



**Suede
31801/31/EO**

179 → 280 ↗ 280

LED - 4x 2,4W incl. - 1200 lm - 2700K

⊕ - IP20

synthetics



**Suede
31802/31/EO**

199 → 380 ↗ 380

LED - 4x 5W incl. - 2350 lm - 2700K

⊕ - IP20

synthetics



**Suede
31803/31/EO**

1112 → 500 ↗ 500

LED - 4x 9W incl. - 3300 lm - 2700K

⊕ - IP20

synthetics





Zarpy (CL251)
8718699680596



1 81 ↔ 250 / 250

LED - 1x 10W incl. - 980 lm - 2700K

⊕ - IP44

synthetics



Shan (CL253)
8718699680534



1 80 ↔ 260 / 260

LED - 1x 12W incl. - 1000 lm - 2700K

⊕ - IP20

synthetics



Zarpy (CL251)
8718699680619



1 81 ↔ 250 / 250

LED - 1x 10W incl. - 1050 lm - 4000K

⊕ - IP44

synthetics



Shan (CL253)
8718699680558



1 80 ↔ 260 / 260

LED - 1x 12W incl. - 1150 lm - 4000K

⊕ - IP20

synthetics



Shore (CL202) 6W
8718699729035



1 73 ↔ 225 / 225

LED - 1x 6W incl. - 640 lm - 4000K

⊕ - IP20

synthetics



Shore (CL202) 10W
8718699729059



1 73 ↔ 250 / 250

LED - 1x 10W incl. - 1100 lm - 4000K

⊕ - IP20

synthetics



Shore (CL202) 17W
8718699729073



1 73 ↔ 320 / 320

LED - 1x 17W incl. - 1900 lm - 4000K

⊕ - IP20

synthetics





**Galax
45591/31/16**

1 103 → 213 ↗ 31

LED - 4x 2,5W incl. - 750 lm

⊕ - IP20

metal



**Galax
45590/31/16**

1 100 → 133 ↗ 31

LED - 2x 2,5W incl. - 370 lm

⊕ - IP20

metal



**Galax
45590/17/16**

1 100 → 133 ↗ 31

LED - 2x 2,5W incl. - 370 lm

⊕ - IP20

metal



**Mezen
31240/67/16**

1 85 → 300 ↗ 300

LED - 1x 17W incl. - 1500 lm - 2700K

⊕ - IP20

glass





Cevel
30136/48/16

1 100 → 317 ↗ 317

E27 - 1x 15W incl. - 970 lm - 2700K

☉ - IP20

glass - metal



Canvas
77050/17/16

1 85 → 265 ↗ 265

E27 - 1x max. 60W excl.

☉ - IP20

metal - glass



Homroo
33178/17/16

1 80 → 80 ↗ 100

G9 - 1x 42W incl. - 630 lm - 2800K

☉ - IP20

glass - metal



Gainsboro
33246/31/16

1 120 → 270 ↗ 108

E27 - 1x 23W incl. - 1430 lm - 2700K

☉ - IP20

metal



Velour
33200/87/16

1 168 → 315 ↗ 111

E27 - 1x 23W incl. - 1430 lm - 2700K

☉ - IP20

textile





Nonni
33517/31/16

↑ 200 ↔ 210 ↗ 86

LED - 1x 6W incl. - 600 lm - 2700K

□ - IP20

glass - synthetics



Drava
33515/31/16

↑ 106 ↔ 125 ↗ 115

LED - 1x 6W incl. - 600 lm - 2700K

□ - IP20

metal - synthetics



Brazos
33516/17/16



↑ 178 ↔ 182 ↗ 86

LED - 1x 6W incl. - 600 lm - 2700K

□ - IP20

glass - metal





Date

33622/31/16

1 200 → 200 ↗ 35

LED - 2x 1W incl.- 210 lm - 2700K

⊕ - IP20

metal



Buckeye

33051/11/16

1 80 → 151 ↗ 140

LED - 1x 3W incl.- 270 lm

⊕ - IP20

glass - metal





Langston
33087/17/16

170 ↔ 300 / 200

G9 - 2x 28W incl. - 2x 370 lm - 2800K

□ - IP20

metal





Mahogany 38828/17/P1

1 136 → 304 / 99

LED - 1x 5W incl. - 450 lm - 3000K

⊕ - IP20

glass



Mahogany 38829/17/P1

1 136 → 604 / 99

LED - 1x 10W incl. - 900 lm - 3000K

⊕ - IP20

metal





Led Softline 50W new
31245/31/P0

1 60 → 1170 ↗ 115

LED - 1x 50W incl. - 5000 lm - 2700K

☐ - IP20

synthetics



Led Softline 50W new
31245/31/P3

1 60 → 1170 ↗ 115

LED - 1x 50W incl. - 5300 lm - 4000K

☐ - IP20

synthetics



Led Softline 24W new
31246/31/P0

1 60 → 570 ↗ 115

LED - 1x 24W incl. - 2200 lm - 2700K

☐ - IP20

synthetics



Led Softline 24W new
31246/31/P3

1 60 → 570 ↗ 115

LED - 1x 24W incl. - 2350 lm - 4000K

☐ - IP20

synthetics





Led Aqualine 50W new
31247/31/P3



l 66 ↔ 1175 ↗ 120

LED - 1x 50W incl. - 5300 lm - 4000K

☐ - IP65

synthetics



Led Aqualine 24W new
31248/31/P3



l 66 ↔ 575 ↗ 120

LED - 1x 24W incl. - 2350 lm - 4000K

☐ - IP65

synthetics





Linear Led 85087/31/16

1 36 → 1124 / 22

LED - 1x 18W incl. - 1600 lm - 2700K

□ - IP20

synthetics



A+



Linear Led 31232/31/P0

1 36 → 287 / 25

LED - 1x 4W incl. - 400 lm - 2700K

□ - IP20

synthetics



A+



Linear Led 85086/31/16

1 36 → 548 / 25

LED - 1x 9W incl. - 800 lm - 2700K

□ - IP20

synthetics



A+



Linear Led 31231/31/P0

1 36 → 848 / 25

LED - 1x 13W incl. - 1200 lm - 2700K




□ - IP20

synthetics



A+





Linear Led 85089/31/16

1 36 → 1124 / 25

LED - 1x 18W incl. - 1600 lm - 4000K

□ - IP20

synthetics



Linear Led 31232/31/P3

1 36 → 287 / 25

LED - 1x 4W incl. - 420 lm - 4000K

□ - IP20

synthetics



Linear Led 85088/31/16

1 36 → 548 / 25

LED - 1x 9W incl. - 800 lm - 4000K

□ - IP20

synthetics



Linear Led 31231/31/P3

1 36 → 848 / 25

LED - 1x 13W incl. - 1270 lm - 4000K

□ - IP20

synthetics






Trunklinea 31233/31/P1

1 39 ↔ 1186 ↗ 25

LED - 1x 12,4W incl. - 1000 lm - 3000K

□ - IP20

synthetics



Trunklinea 31233/31/P3

1 39 ↔ 1186 ↗ 25

LED - 1x 12,4W incl. - 1000 lm - 4000K

□ - IP20

synthetics



Trunklinea 31234/31/P1

1 39 ↔ 886 ↗ 25

LED - 1x 8,3W incl. - 750 lm - 3000K

□ - IP20

synthetics



Trunklinea 31234/31/P3

1 39 ↔ 886 ↗ 25

LED - 1x 8,3W incl. - 750 lm - 4000K

□ - IP20

synthetics



Trunklinea 31235/31/P1

1 39 ↔ 586 ↗ 25

LED - 1x 6W incl. - 500 lm - 3000K

□ - IP20

synthetics



Trunklinea 31235/31/P3

1 39 ↔ 586 ↗ 25

LED - 1x 6W incl. - 500 lm - 4000K

□ - IP20

synthetics





Trunklinea 31236/31/P1

1 39 → 326 ✓ 25

LED - 1x 3,2W incl. - 250 lm - 3000K

☐ - IP20

synthetics



A+

Trunklinea 31236/31/P3

1 39 → 326 ✓ 25

LED - 1x 3,2W incl. - 250 lm - 4000K

☐ - IP20

synthetics



A+



Lamine 31167/99/P1

1 77 → 550 ↗ 36

LED - 1x 11W incl. - 790 lm - 3000K

⊕ - IP20

aluminium



Volga 31166/99/P1

1 60 → 550 ↗ 55

LED - 1x 11W incl. - 790 lm - 3000K

⊕ - IP20

aluminium



Shellline 31237/31/P1

1 34 → 1205 ↗ 28

LED - 1x 18W incl. - 1800 lm

⊕ - IP20

synthetics



Shellline 31238/31/P1

1 34 → 605 ↗ 28

LED - 1x 9W incl. - 900 lm

⊕ - IP20

synthetics





**Danube
31165/99/P1**

155 → 540 / 40

LED - 1x 11W incl. - 780 lm - 3000K

⊕ - IP20

aluminium





myLiving Spots

Give your lighting
a new direction

There's almost no end to what you can do with myLiving Spots. Use them for close-up reading or task work, or to create ambient lighting – or even to highlight your favourite pictures or objets d'art. myLiving Spots can do it all, and look great too. Give your lighting a new direction.



Byrl new
50671/30/PO

1 140 → 100 ↗ 100

LED - 1x 4,3W incl. - 400 lm - 2700K

⊕ - IP20

metal



A+



SceneSwitch 3 light settings*



Byrl new
50672/30/PO

1 140 → 170 ↗ 70

LED - 2x 4,3W incl. - 800 lm - 2700K

⊕ - IP20

metal



A+



Byrl new
50673/30/PO

1 140 → 194 ↗ 194

LED - 3x 4,3W incl. - 1200 lm - 2700K

⊕ - IP20

metal



A+



Byrl new
50674/30/PO

1 140 → 628 ↗ 70

LED - 4x 4,3W incl. - 1600 lm - 2700K

⊕ - IP20

metal



A+

* 2700k 100% - 2500k 40% - 2200k 10%

SceneSwitch

One lamp. **Your switch.** Three light settings.
Works with your existing light switch on the wall



Some situations call for a bright functional light, others benefit from the ambiance of a soft light. With the Philips SceneSwitch LED spots, you can easily change the setting from bright light, to natural light and to a cozy warm glow. No dimmer or additional installation required. All you need is your existing switch.



Byrl new
50671/31/P0

A+

1 140 → 100 ↗ 100

LED - 1x 4,3W incl. - 400 lm - 2700K

☉ - IP20

metal



Byrl new
50672/31/P0

A+

1 140 → 170 ↗ 70

LED - 2x 4,3W incl. - 800 lm - 2700K

☉ - IP20

metal



Byrl new
50673/31/P0

A+

1 140 → 194 ↗ 194

LED - 3x 4,3W incl. - 1200 lm - 2700K

☉ - IP20

metal



Byrl new
50674/31/P0

A+

1 140 → 628 ↗ 70

LED - 4x 4,3W incl. - 1600 lm - 2700K

☉ - IP20

metal





Bukko new
50601/31/P0

119 → 134 ↗ 110

LED - 1x 4,3W incl. - 400 lm - 2700K

⊕ - IP20

metal



Bukko new
50602/31/P0

119 → 170 ↗ 110

LED - 2x 4,3W incl. - 800 lm - 2700K

⊕ - IP20

metal



Bukko new
50603/31/P0

140 → 270 ↗ 270

LED - 3x 4,3W incl. - 1200 lm - 2700K

⊕ - IP20

metal





SceneSwitch 3 light settings*



Bukko new
50604/31/P0

119 → 628 / 110

LED - 4x 4,3W incl. - 1600 lm - 2700K

⊕ - IP20

metal



* 2700k 100% - 2500k 40% - 2200k 10%

Byre new
50661/31/P0

1134 → 100 ↗ 100

LED - 1x 4,3W incl. - 400 lm - 2700K

⊕ - IP20

metal



SceneSwitch 3 light settings*

SceneSwitch

One fixture. **Your switch.** Three light settings.
Works with your existing light switch on the wall

* 2700k 100% - 2500k 40% - 2200k 10%



Byre new
50663/31/P0

1 170 → 670 ↗ 120

LED - 3x 4,3W incl. - 1200 lm - 2700K

⊕ - IP20

metal



Byre new
50664/31/P0

1 170 → 970 ↗ 120

LED - 4x 4,3W incl. - 1600 lm - 2700K

⊕ - IP20

metal



Byre new
50662/31/P0

1 170 → 370 ↗ 120

LED - 2x 4,3W incl. - 800 lm - 2700K

⊕ - IP20

metal





**Box
50491/31/P0**

1100 → 103 ↗ 103

LED - 1x 4,5W incl. - 500 lm - 2700K

⊕ - IP20

metal




**Box
50492/31/P0**

1100 → 202 ↗ 102

LED - 2x 4,5W incl. - 1000 lm - 2700K

⊕ - IP20

metal



**Box
50494/31/P0**

1100 → 202 ↗ 202

LED - 4x 4,5W incl. - 2000 lm - 2700K

⊕ - IP20

metal



WarmGlow dimming

the more you dim, the warmer the light



The Philips Warm Glow range delivers a warm glow light effect taking LED dimming to new level by creating a warm, relaxing ambience for your consumers' precious moments.



Box 50494/30/P0

A+

1100 → 202 ✓ 202

LED - 4x 4,5W incl. - 2000 lm - 2700K

⊕ - IP20

metal



Box 50491/30/P0

A+

1100 → 103 ✓ 103

LED - 1x 4,5W incl. - 500 lm - 2700K

⊕ - IP20

metal



Box 50492/30/P0

A+

1100 → 202 ✓ 102

LED - 2x 4,5W incl. - 1000 lm - 2700K

⊕ - IP20

metal





Glissette
50442/11/P0

1172 → 355 / 140

LED - 2x 4,5W incl. - 1000 lm - 2700K

⊕ - IP20

metal - synthetics





Glissette
50444/11/P0



1 172 ↔ 965 ↗ 165

LED - 4x 4,5W incl.- 2000 lm - 2700K

⊕ - IP20

metal - synthetics



Glissette
50441/11/P0



1 157 ↔ 155 ↗ 120

LED - 1x 4,5W incl.- 500 lm - 2700K

⊕ - IP20

metal - synthetics



Glissette
50443/11/P0



1 172 ↔ 635 ↗ 165

LED - 3x 4,5W incl.- 1500 lm - 2700K

⊕ - IP20

metal - synthetics





**Worchester
50561/11/P0**

1 131 → 155 ↗ 75

LED - 1x 4,5W incl. - 500 lm - 2700K

⊕ - IP20

metal



**Worchester
50562/11/P0**

1 131 → 245 ↗ 75

LED - 2x 4,5W incl. - 1000 lm - 2700K

⊕ - IP20

metal



**Worchester
50564/11/P0**

1 131 → 633 ↗ 75

LED - 4x 4,5W incl. - 2000 lm - 2700K

⊕ - IP20

metal





**Worchester
50563/11/P0**

1131 → 447 / 75

LED - 3x 4,5W incl. - 1500 lm - 2700K

⊕ - IP20

metal



WarmGlow dimming

the more you dim, the warmer the light



Clockwork
53170/31/PO



1 90 → 110 ∠ 110

LED - 1x 4,5W incl. - 500 lm - 2700K

⊕ - IP20

metal



Clockwork
53172/31/PO



1 90 → 255 ∠ 93

LED - 2x 4,5W incl. - 1000 lm - 2700K

⊕ - IP20

metal



Clockwork
53174/31/PO



1 90 → 628 ∠ 93

LED - 4x 4,5W incl. - 2000 lm - 2700K

⊕ - IP20

metal





The Philips Warm Glow range delivers a warm glow light effect taking LED dimming to new level by creating a warm, relaxing ambience for your consumers' precious moments.



Star 56240/31/P0

185 → 110 ↗ 110
LED - 1x 4,5W incl. - 500 lm
⊕ - IP20
metal

A⁺⁺



Star 56242/31/P0

185 → 240 ↗ 70
LED - 2x 4,5W incl. - 1000 lm
⊕ - IP20
metal

A⁺⁺



Star 56243/31/P0

185 → 442 ↗ 70
LED - 3x 4,5W incl. - 1500 lm
⊕ - IP20
metal

A⁺



Star 56244/31/P0

185 → 628 ↗ 70
LED - 4x 4,5W incl. - 2000 lm
⊕ - IP20
metal

A⁺





Ferano new
50651/30/PO

1 102 → 107 ↗ 100

LED - 1x 4,3W incl. - 400 lm - 2700K

⊕ - IP20

metal



Ferano new
50652/30/PO

1 102 → 170 ↗ 70

LED - 2x 4,3W incl. - 800 lm - 2700K

⊕ - IP20

metal



Ferano new
50654/30/PO

1 102 → 628 ↗ 70

LED - 4x 4,3W incl. - 1600 lm - 2700K

⊕ - IP20

metal





Ferano ^{new}
50653/30/PO

1102 → 194 ↗ 194

LED - 3x 4,3W incl. - 1200 lm - 2700K

⊕ - IP20

metal





Rivano new
50611/31/P0

1 134 → 100 ↗ 100

LED - 1x 4,3W incl. - 400 lm - 2700K

⊕ - IP20

metal



Rivano new
50612/31/P0

1 170 → 380 ↗ 120

LED - 2x 4,3W incl. - 800 lm - 2700K

⊕ - IP20

metal



Rivano new
50613/30/P0

1 170 → 680 ↗ 120

LED - 3x 4,3W incl. - 1200 lm - 2700K

⊕ - IP20

metal



Rivano new
50614/30/P0

1 170 → 980 ↗ 120

LED - 4x 4,3W incl. - 1600 lm - 2700K

⊕ - IP20

metal





Rivano new
50611/30/PO

1 134 → 100 ↗ 100

LED - 1x 4,3W incl. - 400 lm - 2700K

⊕ - IP20

metal



Rivano new
50612/30/PO

1 170 → 380 ↗ 120

LED - 2x 4,3W incl. - 800 lm - 2700K

⊕ - IP20

metal



Rivano new
50613/31/PO

1 170 → 680 ↗ 120

LED - 3x 4,3W incl. - 1200 lm - 2700K

⊕ - IP20

metal



Rivano new
50614/31/PO

1 170 → 980 ↗ 120

LED - 4x 4,3W incl. - 1600 lm - 2700K

⊕ - IP20

metal





**Clockwork
53170/31/16**

1 90 ↔ 110 / 110

LED - 1x 4,5W incl.- 500 lm

⊕ - IP20

metal



**Clockwork
53172/31/16**

1 90 ↔ 255 / 93

LED - 2x 4,5W incl.- 1000 lm

⊕ - IP20

metal



**Clockwork
53174/31/16**

1 90 ↔ 628 / 93

LED - 4x 4,5W incl.- 2000 lm

⊕ - IP20

metal





**Clockwork
53170/48/16**

1 90 → 110 ↗ 110

LED - 1x 4,5W incl. - 500 lm

⊕ - IP20

metal

A⁺⁺



**Clockwork
53172/48/16**

1 90 → 255 ↗ 93

LED - 2x 4,5W incl. - 1000 lm

⊕ - IP20

metal

A⁺⁺



**Clockwork
53174/48/16**

1 90 → 628 ↗ 93

LED - 4x 4,5W incl. - 2000 lm

⊕ - IP20

metal

A⁺





Phase
53300/31/16



180 → 102 ↗ 102

LED - 1x 4,5W incl. - 500 lm - 2700K

⊕ - IP20

metal



Phase
53300/30/16



180 → 102 ↗ 102

LED - 1x 4,5W incl. - 500 lm - 2700K

⊕ - IP20

metal



Phase
53302/31/16



180 → 192 ↗ 102

LED - 2x 4,5W incl. - 1000 lm - 2700K

⊕ - IP20

metal



Phase
53302/30/16



180 → 192 ↗ 102

LED - 2x 4,5W incl. - 1000 lm - 2700K

⊕ - IP20

metal



Spur
53310/17/16



105 → 110 ↗ 110

LED - 1x 4,5W incl. - 500 lm - 2700K

⊕ - IP20

metal





Spur
53312/17/16

1105 → 270 ↗ 100

LED - 2x 4,5W incl.- 1000 lm - 2700K

⊕ - IP20

metal



Spur
53313/17/16

1105 → 472 ↗ 100

LED - 3x 4,5W incl.- 1500 lm - 2700K

⊕ - IP20

metal





Paisley
50574/31/PN

1 92 → 628 ↗ 118

GU10 - 4x max. 10W excl.

⊕ - IP20

metal



Paisley
50573/31/PN

1 92 → 443 ↗ 118

GU10 - 3x max. 10W excl.

⊕ - IP20

metal



Paisley
50571/31/PN

1 92 → 134 ↗ 102

GU10 - 1x max. 10W excl.

⊕ - IP20

metal



Paisley
50572/31/PN

1 92 → 240 ↗ 118

GU10 - 2x max. 10W excl.

⊕ - IP20

metal





**Paisley
50574/48/PN**



1 92 → 628 ↗ 118
GU10 - 4x max. 10W excl.
⊕ - IP20
metal



**Paisley
50573/48/PN**



1 92 → 443 ↗ 118
GU10 - 3x max. 10W excl.
⊕ - IP20
metal



**Paisley
50571/48/PN**



1 92 → 134 ↗ 102
GU10 - 1x max. 10W excl.
⊕ - IP20
metal



**Paisley
50572/48/PN**



1 92 → 240 ↗ 118
GU10 - 2x max. 10W excl.
⊕ - IP20
metal





**Pongee
50581/31/PN**

182 → 138 ↗ 100
GU10 - 1x max. 10W excl.
⊕ - IP20
metal



**Pongee
50582/31/PN**

182 → 240 ↗ 122
GU10 - 2x max. 10W excl.
⊕ - IP20
metal



**Pongee
50584/31/PN**

182 → 628 ↗ 122
GU10 - 4x max. 10W excl.
⊕ - IP20
metal



**Pongee
50583/31/PN**

182 → 224 ↗ 224
GU10 - 3x max. 10W excl.
⊕ - IP20
metal





**Pongee
50581/30/PN**

182 → 138 ↗ 100

GU10 - 1x max. 10W excl.

⊕ - IP20

metal



**Pongee
50582/30/PN**

182 → 240 ↗ 122

GU10 - 2x max. 10W excl.

⊕ - IP20

metal



**Pongee
50583/30/PN**

182 → 224 ↗ 224

GU10 - 3x max. 10W excl.

⊕ - IP20

metal



**Pongee
50584/30/PN**

182 → 628 ↗ 122

GU10 - 4x max. 10W excl.

⊕ - IP20

metal





Kosipo
50592/48/PN

1 92 ↔ 240 / 118
GU10 - 2x max. 10W excl.
⊕ - IP20
metal



Kosipo
50593/48/PN

1 92 ↔ 443 / 118
GU10 - 3x max. 10W excl.
⊕ - IP20
metal



Kosipo
50594/48/PN

1 92 ↔ 628 / 118
GU10 - 4x max. 10W excl.
⊕ - IP20
metal



Kosipo
50591/48/PN

1 92 ↔ 134 / 102
GU10 - 1x max. 10W excl.
⊕ - IP20
metal





Kosipo
50591/30/PN

1 92 → 134 ↗ 102
GU10 - 1x max. 10W excl.
⊕ - IP20
metal



Kosipo
50593/30/PN

1 92 → 443 ↗ 118
GU10 - 3x max. 10W excl.
⊕ - IP20
metal



Kosipo
50594/30/PN

1 92 → 628 ↗ 118
GU10 - 4x max. 10W excl.
⊕ - IP20
metal



Kosipo
50592/30/PN

1 92 → 240 ↗ 118
GU10 - 2x max. 10W excl.
⊕ - IP20
metal





Powerful
warm white
light



Runner
53090/48/12

1 107 → 110 ↗ 90

GU10 - 1x max. 50W excl.

⊕ - IP20

metal



Runner
53090/31/12

1 107 → 110 ↗ 90

GU10 - 1x max. 50W excl.

⊕ - IP20

metal





**Runner
53092/48/12**

1 109 → 305 ↗ 90
GU10 - 2x max. 50W excl.
⊕ - IP20
metal



**Runner
53093/48/12**

1 109 → 480 ↗ 90
GU10 - 3x max. 50W excl.
⊕ - IP20
metal



**Runner
53092/31/12**

1 109 → 305 ↗ 90
GU10 - 2x max. 50W excl.
⊕ - IP20
metal



**Runner
53093/31/12**

1 109 → 480 ↗ 90
GU10 - 3x max. 50W excl.
⊕ - IP20
metal



**Runner
53094/31/12**

1 109 → 240 ↗ 240
GU10 - 4x max. 50W excl.
⊕ - IP20
metal



**Runner
53094/48/12**

1 109 → 240 ↗ 240
GU10 - 4x max. 50W excl.
⊕ - IP20
metal





Dender
53340/17/16

1 129 ⇄ 82 / 82
LED - 1x 4W incl. - 330 lm
⊕ - IP20
metal



A+



Dender
53342/17/16

1 137 ⇄ 242 / 82
LED - 2x 4W incl. - 660 lm
⊕ - IP20
metal



A+



Dender
53344/17/16

1 137 ⇄ 640 / 82
LED - 4x 4W incl. - 1320 lm - 2700K
⊕ - IP20
metal



A+



Dender
53343/17/16

1 137 ⇄ 222 / 222
LED - 3x 4W incl. - 990 lm
⊕ - IP20
metal



A+



Dender
53340/31/16

1 129 → 82 / 82

LED - 1x 4W incl. - 330 lm

⊕ - IP20

metal



Dender
53342/31/16

1 137 → 242 / 82

LED - 2x 4W incl. - 660 lm

⊕ - IP20

metal



Dender
53343/31/16

1 137 → 222 / 222

LED - 3x 4W incl. - 990 lm

⊕ - IP20

metal



Dender
53344/31/16

1 137 → 640 / 82

LED - 4x 4W incl. - 1320 lm - 2700K

⊕ - IP20

metal





Star
56244/31/16

182 → 560 × 60

LED - 4x 4,5W incl. - 2000 lm

⊕ - IP20

aluminium





Star
56240/31/16

1 82 → 118 ∠ 60

LED - 1x 4,5W incl.- 500 lm

⊕ - IP20

aluminium



Star
56243/31/16

1 82 → 198 ∠ 198

LED - 3x 4,5W incl.- 1500 lm

⊕ - IP20

aluminium



Star
56242/31/16

1 82 → 198 ∠ 60

LED - 2x 4,5W incl.- 1000 lm

⊕ - IP20

aluminium





Dyna
53230/31/16

119 → 96 ↗ 96

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP20

synthetics



Dyna
53231/31/16

148 → 83 ↗ 116

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP20

synthetics



Dyna
53232/31/16

120 → 203 ↗ 80

LED - 2x 3W incl. - 540 lm - 2700K

☐ - IP20

synthetics



Dyna
53234/31/16

120 → 460 ↗ 80

LED - 4x 3W incl. - 1080 lm - 2700K

☐ - IP20

synthetics



Afzelia
53200/31/16

180 → 90 ↗ 90

LED - 1x 4,5W incl. - 500 lm - 2700K

⊕ - IP20

metal



Afzelia
53202/31/16

180 → 176 ↗ 90

LED - 2x 4,5W incl. - 1000 lm - 2700K

⊕ - IP20

metal



Decorate your home with light



**Pillar
56330/30/PN**

1 120 ↔ 103 ↗ 103

GU10 - 1x max. 50W excl.

☐ - IP20

metal



**Pillar
56332/30/PN**

1 120 ↔ 193 ↗ 103

GU10 - 2x max. 50W excl.

☐ - IP20

metal



**Pillar
56330/31/PN**

1 120 ↔ 103 ↗ 103

GU10 - 1x max. 50W excl.

☐ - IP20

metal



**Pillar
56332/31/PN**

1 120 ↔ 193 ↗ 103

GU10 - 2x max. 50W excl.

☐ - IP20

metal





Decagon 50253/17/E1

A+

1 105 → 500 ↗ 165

LED - 3x 4,3W incl. - 1020 lm - 3000K

⊕ - IP20

metal - glass



Decagon 50250/17/E1

A+

1 105 → 80 ↗ 150

LED - 1x 4,3W incl. - 340 lm - 3000K

⊕ - IP20

metal - glass



Decagon 50252/17/E1

A+

1 105 → 285 ↗ 165

LED - 2x 4,3W incl. - 680 lm - 3000K

⊕ - IP20

metal - glass



Decagon 50254/17/E1

A+

1 145 → 725 ↗ 180

LED - 4x 4,3W incl. - 1360 lm - 3000K

⊕ - IP20

metal - glass



Decagon 50256/17/E1

A+

1 810 → 1220 ↗ 185

LED - 6x 4,1W incl. - 2040 lm - 3000K

⊕ - IP20

metal - glass





**Espimas
50135/11/P1**

1 107 → 100 ↗ 100

LED - 1x 4,3W incl. - 340 lm - 3000K

⊕ - IP20

metal



**Espimas
50136/11/P1**

1 131 → 305 ↗ 120

LED - 2x 4,3W incl. - 680 lm - 3000K

⊕ - IP20

metal



**Espimas
50137/11/P1**

1 92 → 372 ↗ 84

LED - 3x 4,3W incl. - 1020 lm - 3000K

⊕ - IP20

metal



**Espimas
50138/11/P1**

1 135 → 800 ↗ 120

LED - 4x 4,3W incl. - 1360 lm - 3000K

⊕ - IP20

metal





**Burlap
50230/17/E7**

1 130 → 80 ↗ 180

E14 - 1x max. 40W excl.

⊕ - IP20

metal - glass



**Burlap
50232/17/E7**

1 145 → 290 ↗ 195

E14 - 2x max. 40W excl.

⊕ - IP20

metal - glass



**Burlap
50233/17/E7**

1 290 → 290 ↗ 195

E14 - 3x max. 40W excl.

⊕ - IP20

metal - glass




**Burlap
50234/17/E7**

1 145 → 690 ↗ 195

E14 - 4x max. 40W excl.

⊕ - IP20

metal - glass



**Burlap
50236/17/E7**

1 810 → 1220 ↗ 210

E14 - 6x max. 40W excl.

⊕ - IP20

metal - glass





**Hemlock
50280/11/E7**

1 120 → 80 ↗ 175

E14 - 1x max. 40W excl.

⊕ - IP20

metal - glass



**Hemlock
50282/11/E7**

1 120 → 285 ↗ 175

E14 - 2x max. 40W excl.

⊕ - IP20

metal - glass



**Hemlock
50283/11/E7**

1 120 → 500 ↗ 175

E14 - 3x max. 40W excl.

⊕ - IP20

metal - glass



**Hemlock
50284/11/E7**

1 120 → 700 ↗ 175

E14 - 4x max. 40W excl.

⊕ - IP20

metal - glass





**Meranti
50310/17/E7**

1 100 → 80 ↗ 155

GU10 - 1x max. 35W excl.

⊕ - IP20

metal - glass



**Meranti
50312/17/E7**

1 100 → 285 ↗ 155

GU10 - 2x max. 35W excl.

⊕ - IP20

metal - glass



**Meranti
50313/17/E7**

1 100 → 490 ↗ 155

GU10 - 3x max. 35W excl.

⊕ - IP20

metal - glass



**Meranti
50316/17/E7**

1 810 → 1220 ↗ 155

GU10 - 6x max. 35W excl.

⊕ - IP20

metal - glass



**Meranti
50314/17/E7**

1 100 → 690 ↗ 155

GU10 - 4x max. 35W excl.

⊕ - IP20

metal - glass





Limballi
50300/17/E7

180 → 80 ↗ 130
GU10 - 1x max. 50W excl.
⊕ - IP20
metal - glass



Limballi
50302/17/E7

180 → 350 ↗ 130
GU10 - 2x max. 50W excl.
⊕ - IP20
metal - glass




Limballi
50304/17/E7

180 → 750 ↗ 130
GU10 - 4x max. 50W excl.
⊕ - IP20
metal - glass



Limballi
50306/17/E7

1810 → 1220 ↗ 150
GU10 - 6x max. 50W excl.
⊕ - IP20
metal - glass



Limballi
50303/17/E7

1320 → 320 ↗ 130
GU10 - 3x max. 50W excl.
⊕ - IP20
metal - glass





Deltoid
50270/11/E7

1 122 → 80 ↗ 150
G9 - 1x max. 28W excl.
⊕ - IP20
metal - synthetics



Deltoid
50272/11/E7

1 122 → 380 ↗ 180
G9 - 2x max. 28W excl.
⊕ - IP20
metal - synthetics



Deltoid
50273/11/E7

1 335 → 335 ↗ 180
G9 - 3x max. 28W excl.
⊕ - IP20
metal - synthetics



Deltoid
50274/11/E7

1 332 → 686 ↗ 180
G9 - 4x max. 28W excl.
⊕ - IP20
metal - synthetics





**Net
50151/11/PN**

1 215 → 118 ↗ 100
G9 - 1x max. 28W excl.
⊕ - IP20
metal



**Net
50155/11/PN**

1 200 → 353 ↗ 170
G9 - 2x max. 28W excl.
⊕ - IP20
metal



**Net
50157/11/PN**

1 221 → 342 ↗ 318
G9 - 3x max. 28W excl.
⊕ - IP20
metal



**Net
50161/11/PN**

1 240 → 1183 ↗ 132
G9 - 6x max. 28W excl.
⊕ - IP20
metal



**Net
50158/11/PN**

1 225 → 912 ↗ 136
G9 - 4x max. 28W excl.
⊕ - IP20
metal





Coir
50243/11/E1

1 122 ↔ 500 ↗ 190

LED - 3x 4,3W incl. - 1020 lm - 3000K

⊕ - IP20

metal - glass



Coir
50244/11/E1

1 122 ↔ 700 ↗ 190

LED - 4x 4,3W incl. - 1360 lm - 3000K

⊕ - IP20

metal - glass



Hosta
55814/11/PN

1 145 ↔ 850 ↗ 103

G9 - 4x max. 28W excl.

⊕ - IP20

metal





Hosta
55810/11/PN

1120 ↔ 80 ↗ 80

G9 - 1x max. 28W excl.

⊕ - IP20

metal



Hosta
55812/11/PN

1137 ↔ 360 ↗ 107

G9 - 2x max. 28W excl.

⊕ - IP20

metal



Hosta
55819/11/PN

1130 ↔ 300 ↗ 300

G9 - 3x max. 28W excl.

⊕ - IP20

metal





Bathroom

An oasis of serenity

The bathroom is the place we begin and end our day. We start our morning task-oriented activities like brushing our teeth, shaving, styling our hair and ensuring that our make-up is done to perfection. In the evening, the bathroom transforms into a place of comfort as we wind down and soak in a hot bath, before retiring to bed. It's an oasis of serenity in each household, and disconnecting it with the night light will only ensure that you have an extremely enjoyable start and end to your day.

myBathroom




Freshen up with beautiful **natural light**

MyBathroom's high-quality light sources provide the right kind of light for every bathroom need, supporting your daily grooming activities and giving you complete confidence in the results. There's a wide choice of wall and ceiling luminaires. The collection offers large ceiling fixtures that light your whole bathroom in a comfortable and pleasant way. In addition, there are wall lights that provide bright, shadow-free light for precision tasks at the mirror, such as shaving, applying make-up and putting in contact lenses.

Sealed tight

Sealed tight to keep out moisture for a completely safe and well-lit bathroom

Sealed extra tight to a rating of IP44* or IP65* and certified water resistant, each myBathroom luminaire is suited perfectly for humid environments – even near a shower, sink or bath. The fully-sealed premium body is sleek and smooth, which looks great too.



* The IP rate identifies the Ingress Protection against humidity and dust. The IP level is described by two figures: the first one refers to the protection level against dust, the second against water.

Tip

"For perfect lighting on the face, light a mirror from the top and side, using overhead and side lights. This eliminates shadow and creates a focal point at the mirror's center from the converging light beams."



Concept benefits



True skin color with high quality light



Superior light quality with Philips lamps included



Perfectly suitable for humid environments



Energy saving



True skin color

with high quality light



Skin

34024/11/16

l 69 → 280 ∠ 110

LED – 2x 3W incl. – 540 lm – 2700K

☐ – IP44

synthetics



Hotstone

34049/11/16

l 67 → 146 ∠ 147

LED – 2x 2,5W incl. – 370 lm

☐ – IP44

aluminium – synthetics





**Parasail
34344/31/P0**

185 → 320 / 320

LED - 1x 16W incl. - 1300 lm - 2700K

⊕ - IP44

synthetics



**Parasail
34345/31/P0**

195 → 404 / 404

LED - 1x 22W incl. - 2000 lm - 2700K

⊕ - IP44

synthetics



**Guppy
34346/87/P0**

160 → 290 / 290

LED - 1x 12W incl. - 1200 lm - 2700K

⊕ - IP44

synthetics



**Guppy
34347/87/P0**

160 → 350 / 350

LED - 1x 17W incl. - 1700 lm - 2700K

⊕ - IP44

synthetics



**Waterlily
33044/11/P0**

1102 → 236 / 236

LED - 1x 8W incl. - 800 lm - 2700K

⊕ - IP44

synthetics





Dreaminess 59005/11/P0



↔ 75 / 75 ± 50 Ø64 x64

LED - 1x 4,5W incl. - 500 lm - 2700K

◆ - IP65
aluminium



Dreaminess 59008/11/P0



↔ 75 / 75 ± 50 Ø64 x64

LED - 3x 4,5W incl. - 3X500 lm - 2700K

◆ - IP65
aluminium



Dreaminess 59007/11/P0



↔ 75 / 75 ± 50 Ø64 x64

LED - 3x 4,5W incl. - 3X500 lm - 2700K

◆ - IP65
aluminium



Dreaminess 59006/11/P0



↔ 75 / 75 ± 50 Ø64 x64

LED - 1x 4,5W incl. - 500 lm - 2700K

◆ - IP65
aluminium





**Seabird
34343/11/PO**

170 ↔ 500 / 39

LED - 2x 4,5W incl. - 1000 lm - 2700K

□ - IP44

metal



**Plunge
34341/11/PO**

137 ↔ 360 / 95

LED - 2x 4,5W incl. - 1000 lm - 2700K

□ - IP44

metal



**Seabird
34342/11/PO**

1300 ↔ 70 / 39

LED - 1x 4,5W incl. - 500 lm - 2700K

□ - IP44

metal







**Resort
34171/11/P0**

1 136 → 71 / 122

LED - 1x 4,5W incl. - 500 lm - 2700K

□ - IP44

metal



**Resort
34173/11/P0**

1 122 → 366 / 67

LED - 2x 4,5W incl. - 1000 lm - 2700K

□ - IP44

metal



**Resort
34174/11/P0**

1 121 → 215 / 215

LED - 3x 4,5W incl. - 1500 lm - 2700K

□ - IP44

metal



**Resort
34172/11/P0**

1 61 → 215 / 215

LED - 3x 4,5W incl. - 1500 lm - 2700K

□ - IP44

metal





Hydrate
34081/11/16

1 135 ↔ 165 ↗ 127

G9 - 1x 28W incl. - 370 lm - 2800K

⊕ - IP21

metal - glass



Hydrate
34082/11/16

1 135 ↔ 370 ↗ 127

G9 - 2x 28W incl. - 2x 370 lm - 2800K

⊕ - IP21

metal - glass



Hydrate
34083/11/16

1 135 ↔ 650 ↗ 127

G9 - 3x 28W incl. - 3x 370 lm - 2800K

⊕ - IP21

metal - glass



Fit
34058/11/16

1 63 ↔ 333 ↗ 64

LED - 2x 2,5W incl. - 370 lm

⊞ - IP44

metal



Fit
34059/11/16

1 63 ↔ 483 ↗ 67

LED - 3x 2,5W incl. - 560 lm

⊞ - IP44

metal



Freshen up with beautiful natural light



Drops **34054/11/16**

1 100 → 125 ↗ 133

G9 - 1x 42W incl. - 630 lm - 2800K

⊕ - IP21

glass - metal



Silvery **34086/11/16**

1 175 → 100 ↗ 185

G9 - 1x 42W incl. - 630 lm - 2800K

⊕ - IP44

metal - glass



Drops **34053/11/16**

1 100 → 100 ↗ 127

G9 - 1x 42W incl. - 630 lm - 2800K

⊕ - IP21

glass - metal



Drops **34055/11/16**

1 100 → 559 ↗ 133

G9 - 3x 42W incl. - 3x 630 lm - 2800K

⊕ - IP21

glass - metal





Seru
32065/31/16

1 66 → 364 / 340

LED - 3x 4,5W incl. - 1500 lm - 2700K

□ - IP44

synthetics



A+

True skin color

with high quality light



Dew
32054/11/16

1 103 ↔ 318 ↗ 318

E27 - 1x 20W incl. - 1320 lm - 2700K

☐ - IP44

synthetics



Baume
32053/31/16

1 71 ↔ 262 ↗ 262

LED - 2x 4,5W incl. - 1000 lm - 2700K

☐ - IP44

synthetics



Fountain
32020/67/16

1 95 ↔ 350 ↗ 350

E27 - 1x 20W incl. - 1320 lm - 2700K

⊕ - IP21

glass - metal



Spa
32005/31/16

1 120 ↔ 260 ↗ 260

E27 - 1x 20W incl. - 1320 lm - 2700K

☐ - IP44

glass



Mist
32066/31/16

1 110 ↔ 320 ↗ 320

E27 - 1x 20W incl. - 1320 lm - 2700K

☐ - IP44

glass



Pool
32081/31/16

1 110 ↔ 270 ↗ 270

E27 - 1x 20W incl. - 1320 lm - 2700K

☐ - IP44

glass



Salts
32010/11/16

1 100 ↔ 315 ↗ 315

E27 - 1x 20W incl. - 1320 lm - 2700K

⊕ - IP44

metal - glass



Salts
32010/17/16

1 100 ↔ 315 ↗ 315

E27 - 1x 20W incl. - 1320 lm - 2700K

⊕ - IP44

metal - glass





Functional Lighting

Accent lighting
at its best

Functional lighting ensures all areas of your home are well lit and safe, as well as pleasant to experience. Philips functional lighting is designed to blend in with your home decor and brighten up your living, storage and in-between spaces. It casts a clear, warm glow throughout your home.

Functional Lighting



Accent your home **with light**

Philips recessed spots range represents superb minimalist recessed spotlights designed to blend with your interior decor. It lets you be bold in the way you use spotlighting in your home. Distinctive without being overstated, each spotlight is designed to complement its surroundings. Install spotlights in walls, ceilings or features such as bookcases or cabinets while still maintaining the look you want. Best of all, this range of powerful luminaires uses the very latest energy-efficient halogen, energy saver and LED light sources. Beautifully brilliant yet wonderfully warm, the light is every bit as appealing and cosy as that of conventional bulbs. Energy saving too, it ensures a warm glow inside to match the warm glow of light.

Highlights



140

Donegal



132

Asterope



134

Hadron

Tip

"Recessed spots can be set within a niche in a wall to provide strong, reflective rays of light to illuminate every part of the display object in the niche. A single, wider and dispersed beam of light will reflect well off each surface of the niche."



Concept **benefits**



Accent lighting, perfect for emphasising special features in the room



Superior light quality with Philips lamps included



Warm white light based on various light technologies



Energy saving



Asterope 59180/31/16



↔ 122 / 122 ± 49 Ø112 x112

LED - 1x 4,5W incl. - 500 lm - 2700K

◇ - IP20

metal



Asterope 59180/48/16



↔ 122 / 122 ± 49 Ø112 x112

LED - 1x 4,5W incl. - 500 lm - 2700K

◇ - IP20

metal



Asterope 59183/31/16



↔ 122 / 122 ± 49 Ø112 x112

LED - 3x 4,5W incl. - 3X500 lm - 2700K

◇ - IP20

metal



Asterope 59183/48/16



↔ 122 / 122 ± 49 Ø112 x112

LED - 3x 4,5W incl. - 3X500 lm - 2700K

◇ - IP20

metal



Porrira 59190/17/16




↔ 100 / 100 ± 49 Ø92 x92

LED - 1x 4,5W incl. - 500 lm - 2700K

◇ - IP20

metal



Porrira 59193/17/16




↔ 100 / 100 ± 49 Ø92 x92

LED - 3x 4,5W incl. - 3X500 lm - 2700K

◇ - IP20

metal



Pomeron
8718696173770

1 67 ↔ 90 ↗ 90

LED - 1x 3W incl. - 200 lm - 2700K

⊕ - IP20

synthetics



Pomeron
8718696173787

1 67 ↔ 90 ↗ 90

LED - 1x 3W incl. - 210 lm - 4000K

⊕ - IP20

synthetics



Pomeron
8718696173794

1 67 ↔ 90 ↗ 90

LED - 1x 5W incl. - 330 lm - 2700K

⊕ - IP20

synthetics



Pomeron
8718696173800

1 67 ↔ 90 ↗ 90

LED - 1x 5W incl. - 350 lm - 4000K

⊕ - IP20

synthetics



Pomeron
8718696173817

1 70,5 ↔ 90 ↗ 90

LED - 1x 7W incl. - 420 lm - 2700K

⊕ - IP20

synthetics



Pomeron
8718696173824

1 70,5 ↔ 90 ↗ 90

LED - 1x 7W incl. - 450 lm - 4000K

⊕ - IP20

synthetics



Step Dimming



Hadron 59831/31/P1

↔ 140 / 140 ± 26 Ø125 x125
LED - 1x 12W incl. - 1000 lm - 3000K
□ - IP20
synthetics



Hadron 59831/31/P3

↔ 140 / 140 ± 26 Ø125 x125
LED - 1x 12W incl. - 1000 lm - 4000K
□ - IP20
synthetics



Hadron 59832/31/P1

↔ 140 / 140 ± 26 Ø125 x125
LED - 1x 12W incl. - 830 lm - 3000K
□ - IP20
synthetics



Hadron 59832/31/P3

↔ 140 / 140 ± 26 Ø125 x125
LED - 1x 12W incl. - 830 lm - 4000K
□ - IP20
synthetics





Marcasite 3000K 59521/31/P1

↔ 110 / 110 ± 30 Ø100 x100

LED - 1x 9W incl.- 860 lm - 3000K

☐ - IP20

synthetics



Marcasite 4000K 59521/31/P3

↔ 110 / 110 ± 30 Ø100 x100

LED - 1x 9W incl.- 860 lm - 4000K

☐ - IP20

synthetics



Marcasite 3000K 59523/31/P1

↔ 160 / 160 ± 30 Ø150 x150

LED - 1x 14W incl.- 1370 lm - 3000K

☐ - IP20

synthetics



Marcasite 4000K 59523/31/P3

↔ 160 / 160 ± 30 Ø150 x150

LED - 1x 14W incl.- 1370 lm - 4000K

☐ - IP20

synthetics



Marcasite 3000K 59529/31/P1

↔ 210 / 210 ± 30 Ø200 x200

LED - 1x 21W incl.- 2100 lm - 3000K

☐ - IP20

synthetics



Marcasite 4000K 59529/31/P3

↔ 210 / 210 ± 30 Ø200 x200

LED - 1x 21W incl.- 2100 lm - 4000K

☐ - IP20

synthetics





Meson
8718696173565

1 45,5 ↔ 95 ↗ 95

LED - 1x 6W incl.- 500 lm - 3000K

☐ - IP20

synthetics



Meson
8718696173572

1 45,5 ↔ 95 ↗ 95

LED - 1x 6W incl.- 550 lm - 4000K

☐ - IP20

synthetics



Meson
8718696173589

1 45,5 ↔ 95 ↗ 95

LED - 1x 6W incl.- 550 lm - 6500K

☐ - IP20

synthetics



Meson
8718696173596

1 47 ↔ 140 ↗ 140

LED - 1x 13W incl.- 1200 lm - 3000K

☐ - IP20

synthetics



Meson
8718696173602

1 47 ↔ 140 ↗ 140

LED - 1x 13W incl.- 1300 lm - 4000K

☐ - IP20

synthetics



Meson
8718696173619

1 47 ↔ 140 ↗ 140

LED - 1x 13W incl.- 1300 lm - 6500K

☐ - IP20

synthetics



Meson
8718696173657

1 47 ↔ 165 ↗ 165

LED - 1x 17W incl.- 1600 lm - 3000K

☐ - IP20

synthetics



Meson
8718696173664

1 47 ↔ 165 ↗ 165

LED - 1x 17W incl.- 1750 lm - 4000K

☐ - IP20

synthetics



Meson
8718696173671


1 47 ↔ 165 ↗ 165

LED - 1x 17W incl.- 1750 lm - 6500K

☐ - IP20

synthetics





Meson
8718696173718



1 47 ↔ 190 ↗ 190
LED - 1x 21W incl.- 2100 lm - 3000K
☐ - IP20
synthetics



Meson
8718696173725



1 47 ↔ 190 ↗ 190
LED - 1x 21W incl.- 2200 lm - 4000K
☐ - IP20
synthetics



Meson
8718696173732



1 47 ↔ 190 ↗ 190
LED - 1x 21W incl.- 2200 lm - 6500K
☐ - IP20
synthetics



Meson
8718696173749



1 47 ↔ 215 ↗ 215
LED - 1x 24W incl.- 2400 lm - 3000K
☐ - IP20
synthetics



Meson
8718696173756



1 47 ↔ 215 ↗ 215
LED - 1x 24W incl.- 2550 lm - 4000K
☐ - IP20
synthetics



Meson
8718696173763



1 47 ↔ 215 ↗ 215
LED - 1x 24W incl.- 2550 lm - 6500K
☐ - IP20
synthetics





Meson
8718696173626



↑ 47 ↔ 140 ↗ 140
LED - 1x 13W incl.- 1200 lm - 3000K
☐ - IP20
synthetics



Meson
8718696173633



↑ 47 ↔ 140 ↗ 140
LED - 1x 13W incl.- 1300 lm - 4000K
☐ - IP20
synthetics



Meson
8718696173640



↑ 47 ↔ 140 ↗ 140
LED - 1x 13W incl.- 1300 lm - 6500K
☐ - IP20
synthetics



Meson
8718696173688



↑ 47 ↔ 165 ↗ 165
LED - 1x 17W incl.- 1600 lm - 3000K
☐ - IP20
synthetics



Meson
8718696173695



↑ 47 ↔ 165 ↗ 165
LED - 1x 17W incl.- 1700 lm - 4000K
☐ - IP20
synthetics



Meson
8718696173701



↑ 47 ↔ 165 ↗ 165
LED - 1x 17W incl.- 1700 lm - 6500K
☐ - IP20
synthetics






**Enneper
50181/31/PN**

↔ 90 ↗ 90 ⊥ 100 Ø70 x70
GU10 - 1x max. 5,5W excl.
□ - IP20
synthetics



**Enneper
50193/31/PN**

↔ 90 ↗ 90 ⊥ 100 Ø70 x70
GU10 - 3x max. 5,5W excl.
□ - IP20
synthetics



**Enneper
50191/31/PN**

↔ 90 ↗ 90 ⊥ 100 Ø70 x70
GU10 - 1x max. 5,5W excl.
□ - IP20
synthetics



**Enneper
50183/31/PN**

↔ 90 ↗ 90 ⊥ 100 Ø70 x70
GU10 - 3x max. 5,5W excl.
□ - IP20
synthetics





**Donegal
50391/17/PN**

→ 90 / 90 ± 100 Ø70 x70

GU10 - 1x max. 5,5W excl.

☐ - IP20
synthetics



**Donegal
50391/11/PN**

→ 90 / 90 ± 100 Ø70 x70

GU10 - 1x max. 5,5W excl.

☐ - IP20
synthetics



**Donegal
50391/05/PN**

→ 90 / 90 ± 100 Ø70 x70

GU10 - 1x max. 5,5W excl.

☐ - IP20
synthetics



**Donegal
50391/99/PN**

→ 90 / 90 ± 100 Ø70 x70

GU10 - 1x max. 5,5W excl.

☐ - IP20
synthetics



Donegal
50393/17/PN

↔ 90 ↗ 90 ⊥ 100 Ø70 x70
GU10 – 3x max. 5,5W excl.
☐ – IP20
synthetics



Donegal
50393/11/PN

↔ 90 ↗ 90 ⊥ 100 Ø70 x70
GU10 – 3x max. 5,5W excl.
☐ – IP20
synthetics



Donegal
50393/05/PN

↔ 90 ↗ 90 ⊥ 100 Ø70 x70
GU10 – 3x max. 5,5W excl.
☐ – IP20
synthetics



Donegal
50393/99/PN

↔ 90 ↗ 90 ⊥ 100 Ø70 x70
GU10 – 3x max. 5,5W excl.
☐ – IP20
synthetics





**Donegal
50401/17/PN**

↔ 90 ↗ 90 ⊥ 100 Ø70 x70

GU10 - 1x max. 5,5W excl.

☐ - IP20

synthetics



**Donegal
50401/11/PN**

↔ 90 ↗ 90 ⊥ 100 Ø70 x70

GU10 - 1x max. 5,5W excl.

☐ - IP20

synthetics



**Donegal
50401/05/PN**

↔ 90 ↗ 90 ⊥ 100 Ø70 x70

GU10 - 1x max. 5,5W excl.

☐ - IP20

synthetics



**Donegal
50401/99/PN**

↔ 90 ↗ 90 ⊥ 100 Ø70 x70

GU10 - 1x max. 5,5W excl.

☐ - IP20

synthetics



**Donegal
50403/17/PN**

↔ 90 √ 90 ⊥ 100 Ø70 x70
GU10 – 3x max. 5,5W excl.
□ – IP20
synthetics



**Donegal
50403/11/PN**

↔ 90 √ 90 ⊥ 100 Ø70 x70
GU10 – 3x max. 5,5W excl.
□ – IP20
synthetics



**Donegal
50403/05/PN**

↔ 90 √ 90 ⊥ 100 Ø70 x70
GU10 – 3x max. 5,5W excl.
□ – IP20
synthetics



**Donegal
50403/99/PN**

↔ 90 √ 90 ⊥ 100 Ø70 x70
GU10 – 3x max. 5,5W excl.
□ – IP20
synthetics





MoodLighting

Everything you need to
set the perfect scene

Sometimes it's all about capturing the moment. Philips offers lighting solutions to match your mood and help you create great moments. Choose from a variety of ways to set the right atmosphere by using light & colour in your home. Elegant designs combined with LED based technology make you enjoy lighting that really fits your mood.

How will you colour your world with light?



Colour your world **with light**

Philips LightStrips are magical light sources that can easily add a colorful dimension to your interior. Each one of them has its own specific features, in order to make your life easy. Get started with this beautiful and unique way of accentuating important items in your home, highlighting furniture, architectural features and wall-spaces or just basically decorating with light. There are no limits to your creativity.



Concept **benefits**



Let the light blend naturally
into your interior



Easy & safe to use



Ultimate flexibility in installation



white



Lightstrips 5M 70102/31/P2

18 → 5000 ✓ 1

LED - 1x 21W incl. - 1500 lm - 2700K

☐ - IP20

synthetics



Lightstrips 2M 70101/31/P2

18 → 2000 ✓ 1

LED - 1x 11W incl. - 700 lm - 2700K

☐ - IP20

synthetics





color



Lightstrips 5M
70102/31/P6

110 ↔ 5000 √ 3

LED - 1x 17W incl. - 260 lm

□ - IP20

synthetics



Lightstrips 2M
70101/31/P6

110 ↔ 2000 √ 3

LED - 1x 8W incl. - 130 lm

□ - IP20

synthetics





Outdoor

Light up your
outdoor life

myGarden Solar



Concept **benefits**



Warm white light,
instantly on



Multiple applications
to match your needs



No 220-240V cables needed



Solar energy



Dusk 17809/93/16

1 840 ↔ 161 ↗ 161
LED - 1x 1W incl. - 100 lm
◆ - IP44
aluminium - synthetics



Dusk 17807/93/16

1 136 ↔ 161 ↗ 161
LED - 1x 1W incl. - 100 lm
◆ - IP44
aluminium - synthetics



Dusk 17808/93/16

1 136 ↔ 161 ↗ 161
LED - 1x 1W incl. - 100 lm
◆ - IP44
aluminium - synthetics



Battery Pack 17825/30/16

1 19 ↔ 66 ↗ 19
◆ - IP20



A photograph of a child with blonde hair, wearing a dark jacket over a bright green shirt and patterned leggings, standing in a garden at night. The child is leaning against a wooden chair and reading a book. The background is a red brick wall with a small, illuminated outdoor light fixture. To the left, there is a wooden table and a small tree. To the right, a red tricycle is parked. The scene is lit with warm, ambient light, creating a cozy atmosphere.

myGarden

Enjoy a beautiful garden **with light**

Outdoor lighting can improve the look of your garden or outside space, illuminating eye-catching features, lighting pathways with style or creating the perfect ambience for those memorable evenings with friends and family. That's why Philips has created myGarden, a range of beautiful decorative outdoor luminaires with the flair and functionality to help you make the most of your outdoor space in your own style.

Highlights



159

Curassow



158

Skua




157

Petronia IR

Tip

"Different lamps give different qualities of light. EcoHalogen sparkles and invigorates, EcoClassic warms and comforts, while LED light brings out the vivid colors in your garden. All Philips Energy Saving lamps give a warm diffuse light that's even and pleasant."



Concept **benefits**



High quality light
with Philips lamps included



Multiple applications
to match your needs



Resistant high quality material,
built to last



Energy saving



Actea new
17390/30/P0

174 → 189 ↗ 189

LED - 1x 12W incl. - 1200 lm - 2700K

□ - IP44

aluminium - synthetics



Samondra new
17391/93/P0

1190 → 190 ↗ 90

LED - 1x 12W incl. - 1200 lm - 2700K

□ - IP44

aluminium - synthetics



Samondra IR new
17392/93/P0

1227 → 190 ↗ 90

LED - 1x 12W incl. - 1200 lm - 2700K

□ - IP44

aluminium - synthetics



Drosera new
17393/30/P0

1190 → 190 ↗ 74

LED - 1x 12W incl. - 1200 lm - 2700K

□ - IP44

aluminium - synthetics





Petronia new
17394/93/P0

1 190 → 190 ↗ 53

LED - 1x 12W incl. - 1200 lm - 2700K

☐ - IP44

aluminium - synthetics



Petronia IR new
17395/93/P0

1 227 → 190 ↗ 60

LED - 1x 12W incl. - 1200 lm - 2700K

☐ - IP44

aluminium - synthetics



Petronia new
17394/93/P3

1 190 → 190 ↗ 53

LED - 1x 12W incl. - 1200 lm - 4000K

☐ - IP44

aluminium - synthetics





Astilbe new
17380/30/PN

↑ 175 ↔ 178 ↗ 178

E27 - 1x max. 42W excl.

☐ - IP44

aluminium - synthetics



Skua new
17382/30/PN

↑ 218 ↔ 344 ↗ 300

E27 - 1x max. 42W excl.

☉ - IP44

aluminium - synthetics





Curassow new
17385/43/PN

1 170 → 181 ↗ 134

E27 - 1x max. 42W excl.

☐ - IP44

aluminium - synthetics



Curassow new
17386/43/PN

1 180 → 200 ↗ 200

E27 - 1x max. 42W excl.

☐ - IP44

aluminium - synthetics




Curassow new
17387/43/PN

1 300 → 200 ↗ 174

E27 - 1x max. 42W excl.

☐ - IP44

aluminium - synthetics



Curassow new
17388/43/PN

1 900 → 200 ↗ 174

E27 - 1x max. 42W excl.

☐ - IP44

aluminium - synthetics





Abelia
17360/30/P0

1 233 → 150 ↗ 150
LED - 1x 3W incl.- 350 lm
◆ - IP44
synthetics



Abelia
17360/31/P0

1 233 → 150 ↗ 150
LED - 1x 3W incl.- 350 lm
◆ - IP44
synthetics



Parterre
16482/30/P0

1 770 → 100 ↗ 100
LED - 1x 8W incl.- 800 lm - 2700K
▣ - IP44
aluminium - synthetics



Parterre
16481/30/P0

1 400 → 100 ↗ 100
LED - 1x 8W incl.- 800 lm - 2700K
▣ - IP44
aluminium - synthetics



Parterre
16480/30/P0

1 130 → 130 ↗ 130
LED - 1x 8W incl.- 800 lm - 2700K
▣ - IP44
aluminium - synthetics





Afterglow 17352/93/P0

1 300 ↔ 264 ∠ 175

LED – 2x 4,5W incl. – 1000 lm – 2700K

☐ – IP44

aluminium – glass





**Bustan
16485/93/PO**

1 400 → 220 ✓ 90

LED - 2x 4,5W incl.- 1000 lm - 2700K

☐ - IP44

aluminium - synthetics



**Bustan
16486/93/PO**

1 770 → 220 ✓ 90

LED - 2x 4,5W incl.- 1000 lm - 2700K

☐ - IP44

aluminium - synthetics



**Bustan
16483/93/PO**

1 92 → 220 ✓ 78

LED - 2x 4,5W incl.- 1000 lm - 2700K

☐ - IP44

aluminium - synthetics



**Bustan IR
16484/93/PO**

1 92 → 220 ✓ 78

LED - 2x 4,5W incl.- 1000 lm - 2700K

☐ - IP44

aluminium - synthetics





Bustan
16483/93/P3

1 92 ↔ 220 ✓ 78

LED - 2x 4,5W incl.- 1000 lm - 4000K

⊕ - IP44

aluminium - synthetics



Bustan
16485/93/P3

1 400 ↔ 220 ✓ 90

LED - 2x 4,5W incl.- 1000 lm - 4000K

⊕ - IP44

aluminium - synthetics



Bustan IR
16484/93/P3

1 92 ↔ 220 ✓ 78

LED - 2x 4,5W incl.- 1000 lm - 4000K

⊕ - IP44

aluminium - synthetics



Bustan
16486/93/P3

1 700 ↔ 220 ✓ 90

LED - 2x 4,5W incl.- 1000 lm - 4000K

⊕ - IP44

aluminium - synthetics





**Stratosphere
16489/93/P0**

1 770 → 60 / 76

LED - 2x 4,5W incl.- 1000 lm - 2700K

⊕ - IP44

aluminium - synthetics



**Stratosphere
17354/93/P0**

1 63 → 203 / 68

LED - 1x 4,5W incl.- 500 lm - 2700K

⊕ - IP44

aluminium - synthetics



**Stratosphere
16487/93/P0**

1 76 → 203 / 93

LED - 2x 4,5W incl.- 1000 lm - 2700K

⊕ - IP44

aluminium - synthetics



**Stratosphere
16488/93/P0**

1 420 → 60 / 76

LED - 2x 4,5W incl.- 1000 lm - 2700K

⊕ - IP44

aluminium - synthetics





**Stratosphere
16488/93/P3**



1 420 → 60 / 76

LED - 2x 4,5W incl.- 1000 lm - 4000K

⊕ - IP44

aluminium - synthetics



**Stratosphere
17354/93/P3**



1 63 → 203 / 68

LED - 1x 4,5W incl.- 500 lm - 4000K

⊕ - IP44

aluminium - synthetics



**Stratosphere
16487/93/P3**



1 76 → 203 / 93

LED - 2x 4,5W incl.- 1000 lm - 4000K

⊕ - IP44

aluminium - synthetics



**Stratosphere
16489/93/P3**



1 770 → 60 / 76

LED - 2x 4,5W incl.- 1000 lm - 4000K

⊕ - IP44

aluminium - synthetics





Arbour
16459/93/16

A++

↑ 130 ↔ 130 ↗ 127

LED - 2x 4,5W incl. - 800 lm - 2700K

☐ - IP44

aluminium



Arbour
16460/93/16

A+

↑ 221 ↔ 166 ↗ 75

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium



Arbour IR
16461/93/16

A+


↑ 221 ↔ 166 ↗ 75

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium





**Arbour
16462/93/16**

1 400 → 100 ↗ 100

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium



**Arbour
16463/93/16**

1 770 → 100 ↗ 100

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium



**Arbour
16460/93/P3**

1 221 → 166 ↗ 75

LED - 1x 6W incl. - 600 lm - 4000K

☐ - IP44

aluminium



**Arbour
16462/93/P3**

1 400 → 100 ↗ 100

LED - 1x 6W incl. - 600 lm - 4000K

☐ - IP44

aluminium



**Arbour
16463/93/P3**

1 770 → 100 ↗ 100

LED - 1x 6W incl. - 600 lm - 4000K

☐ - IP44

aluminium



**Arbour IR
16461/93/P3**

1 221 → 166 ↗ 75

LED - 1x 6W incl. - 600 lm - 4000K

☐ - IP44

aluminium





**Capricorn
16455/93/16**

1 214 ↔ 214 / 78

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium



**Capricorn
16455/87/16**

1 214 ↔ 214 / 78

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium



**Capricorn IR
16456/93/16**

1 214 ↔ 214 / 78

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium



**Capricorn IR
16456/87/16**

1 214 ↔ 214 / 78

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium





**Capricorn
16455/93/P3**



1 214 → 214 / 78

LED - 1x 6W incl. - 600 lm - 4000K

□ - IP44
aluminium



**Capricorn IR
16456/93/P3**



1 214 → 214 / 78

LED - 1x 6W incl. - 600 lm - 4000K

□ - IP44
aluminium





Stock
16464/93/16

1 246 → 180 ↗ 88

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium



Stock IR
16465/93/16

1 246 → 180 ↗ 88

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium



Stock
16466/93/16

1 400 → 104 ↗ 104

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium



Stock
16467/93/16

1 770 → 104 ↗ 104

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium





Grass
17321/93/16



1128 ↔ 129 ↗ 145

LED - 2x 4,5W incl. - 800 lm - 2700K

☐ - IP44

aluminium



Grass IR
17322/93/16



1128 ↔ 129 ↗ 157

LED - 2x 4,5W incl. - 800 lm - 2700K

☐ - IP44

aluminium






Shadow 17351/93/P0

1 224 → 95 ↗ 77

LED - 2x 4,5W incl. - 1000 lm - 2700K

☐ - IP44

aluminium - stainless steel




Buxus 17357/47/P0

1 140 → 101 ↗ 126

LED - 2x 4,5W incl. - 1000 lm - 2700K

⊗ - IP44

stainless steel




Cistus 17358/47/P0

1 140 → 109 ↗ 117

LED - 2x 4,5W incl. - 1000 lm - 2700K

⊗ - IP44

stainless steel





Sunset
17312/47/16

1 190 → 51 ↗ 72

LED - 2x 1W incl. - 200 lm - 2700K

☐ - IP44

stainless steel - synthetics



Sand
17294/93/16

1 256 → 256 ↗ 63

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium





Saves up to
80%
energy

Multiple
applications
to match all your
needs

Enjoy

your outdoor life



Dust
16407/93/16

1120 ↔ 178 ↗ 90

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP44

aluminium - synthetics



Dust
16408/93/16

1763 ↔ 166 ↗ 166

LED - 1x 3W incl. - 270 lm - 2700K

☉ - IP44

aluminium - synthetics





Raccoon
17273/47/16

1 205 ↔ 162 ↗ 66

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP44

synthetics - stainless steel



Raccoon
17273/93/16

1 205 ↔ 162 ↗ 66

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP44

synthetics - stainless steel



Raccoon
17274/47/16

1 205 ↔ 162 ↗ 75

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP44

synthetics - stainless steel



Raccoon
17274/93/16

1 205 ↔ 162 ↗ 75

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP44

synthetics - stainless steel





**Cockatoo
16490/47/P0**

118 → 150 ↗ 173

LED - 1x 8W incl. - 800 lm - 2700K

□ - IP44

stainless steel - synthetics



**Cockatoo IR
16491/47/P0**

118 → 150 ↗ 173

LED - 1x 8W incl. - 800 lm - 2700K

□ - IP44

stainless steel - synthetics





Cockatoo
16493/47/P0

1 795 → 150 ↗ 192

LED - 1x 8W incl. - 800 lm - 2700K

⊕ - IP44

stainless steel - synthetics



Cockatoo
16492/47/P0

1 415 → 150 ↗ 192

LED - 1x 8W incl. - 800 lm - 2700K

⊕ - IP44

stainless steel - synthetics





Karp 17293/93/16



↑ 266 ↔ 211 ↘ 88

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

aluminium



Yarrow IR 17297/30/16



↑ 214 ↔ 214 ↘ 78

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

synthetics



Yarrow 17296/30/16



↑ 214 ↔ 214 ↘ 78

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

synthetics



Karp 17293/93/P3



↑ 266 ↔ 210 ↘ 88

LED - 1x 6W incl. - 600 lm - 4000K

☐ - IP44

aluminium





Python IR 17324/47/16

1 215 → 171 / 96

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

stainless steel



Python 17323/47/16

1 215 → 171 / 84

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

stainless steel



Antelope 17320/30/P3

1 269 → 199 / 89

LED - 1x 6W incl. - 600 lm - 4000K

☐ - IP44

synthetics



Antelope 17320/31/P3


1 269 → 199 / 89

LED - 1x 6W incl. - 600 lm - 4000K

☐ - IP44

synthetics





Herb
17298/47/16

1162 ↔ 230 ↗ 93

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

stainless steel



Herb IR
17299/47/16

1162 ↔ 230 ↗ 105

LED - 1x 6W incl. - 600 lm - 2700K

☐ - IP44

stainless steel



Virga
17287/30/16

1122 ↔ 92 ↗ 103

LED - 1x 3W incl. - 270 lm - 2700K

⊕ - IP44

aluminium



Virga
17287/47/16

1122 ↔ 92 ↗ 103

LED - 1x 3W incl. - 270 lm - 2700K

⊕ - IP44

aluminium - stainless steel





**Macaw
17303/47/16**

1130 → 122 ↗ 85

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP44

synthetics - aluminium



**Macaw
17302/30/16**

1130 → 122 ↗ 85

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP44

synthetics



**Macaw
17302/30/P3**

1130 → 122 ↗ 85

LED - 1x 3W incl. - 320 lm - 4000K

☐ - IP44

synthetics



**Macaw
17317/30/16**

1137 → 127 ↗ 91

LED - 1x 3,5W incl. - 320 lm - 2700K

☐ - IP44

synthetics



**Calgary
17314/47/16**

1130 → 122 ↗ 88

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP44

synthetics - aluminium



**Calgary
17315/47/16**

1130 → 122 ↗ 94

LED - 1x 3,5W incl. - 320 lm - 2700K

☐ - IP44

synthetics - aluminium



Bring out the best in your garden



Eagle
17304/30/16

1170 → 170 ↗ 74

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP44

synthetics



Eagle
17305/30/16

1170 → 170 ↗ 74

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP44

synthetics



Eagle
17318/30/16

1170 → 170 ↗ 74

LED - 1x 3,5W incl. - 320 lm - 2700K

☐ - IP44

synthetics





Bridge
16351/93/16

↑ 212 ↔ 118 ↗ 101

E27 - 1x 15W incl. - 970 lm - 2700K

☐ - IP44

aluminium - synthetics



Bridge
16352/93/16

↑ 245 ↔ 118 ↗ 101

E27 - 1x 15W incl. - 970 lm - 2700K

☐ - IP44

aluminium - synthetics





Bridge
16354/93/16

1 802 ↔ 121 ↗ 121

E27 – 1x 14W incl. – 810 lm – 2700K

☼ – IP44

aluminium – synthetics



Bridge
16353/93/16

1 402 ↔ 121 ↗ 121

E27 – 1x 14W incl. – 810 lm – 2700K

☼ – IP44

aluminium – synthetics





Shovel
17335/47/PN

1 127 → 147 ↗ 155

E27 - 1x max. 42W excl.

☐ - IP44

stainless steel - synthetics



Oriole
17185/47/16

1 141 → 322 ↗ 96

E14 - 2x 11W incl. - 2x 600 lm - 2700K

☐ - IP44

synthetics - stainless steel



Seedling
17166/47/16

1 150 → 309 ↗ 108

E27 - 1x 23W incl. - 1430 lm - 2700K

☐ - IP44

synthetics - stainless steel





Chipmunk
17336/47/PN

118 → 195 ↗ 205

E27 - 1x max. 42W excl.

☐ - IP44

stainless steel - synthetics



Limestone
17338/93/PN

1192 → 192 ↗ 73

GU10 - 2x max. 5W excl.

☐ - IP44

synthetics



Hedgehog
17337/87/PN

191 → 160 ↗ 182

E27 - 1x max. 42W excl.

☐ - IP44

aluminium - synthetics



Hedgehog
17337/93/PN

191 → 160 ↗ 182

E27 - 1x max. 42W excl.

☐ - IP44

aluminium - synthetics



Add some
**outdoor
magic**



**Moonshine
17350/93/PN**


181 ↔ 260 ↗ 260

E27 - 2x max. 14W excl.

☐ - IP44

aluminium - synthetics





Border
16942/87/16

↑ 93 ↔ 268 ↗ 148

E27 - 1x 23W incl. - 1430 lm - 2700K

⊕ - IP44

aluminium - synthetics



Border
16942/93/16

↑ 93 ↔ 268 ↗ 148

E27 - 1x 23W incl. - 1430 lm - 2700K

⊕ - IP44

aluminium - synthetics



Border
16943/87/16

↑ 93 ↔ 268 ↗ 155

E27 - 1x 23W incl. - 1430 lm - 2700K

⊕ - IP44

aluminium - synthetics



Border
16943/93/16

↑ 93 ↔ 268 ↗ 155

E27 - 1x 23W incl. - 1430 lm - 2700K

⊕ - IP44

aluminium - synthetics





Shades
17182/87/16

1 82 ↔ 171 ↗ 170

E27 - 1x 15W incl. - 970 lm - 2700K

☐ - IP44

synthetics - aluminium

A



Shades
17182/93/16

1 82 ↔ 171 ↗ 170

E27 - 1x 15W incl. - 970 lm - 2700K

☐ - IP44

synthetics - aluminium

A



June
16245/87/16

1 195 ↔ 195 ↗ 135

E27 - 1x 12W incl. - 741 lm - 2700K

☐ - IP44

aluminium - synthetics

A



June
16246/93/16

1 195 ↔ 195 ↗ 135

E27 - 1x 12W incl. - 741 lm - 2700K

☐ - IP44

aluminium - synthetics

A



June
16245/93/16

1 195 ↔ 195 ↗ 135

E27 - 1x 12W incl. - 741 lm - 2700K

☐ - IP44

aluminium - synthetics

A



June
16246/87/16

1 195 ↔ 195 ↗ 135

E27 - 1x 12W incl. - 741 lm - 2700K

☐ - IP44

aluminium - synthetics

A





**Veranda
16413/47/16**

1 800 → 100 ↗ 100
E27 - 1x 20W incl. - 1320 lm - 2700K
☼ - IP44
stainless steel - synthetics



**Veranda
16414/47/16**

1 400 → 100 ↗ 100
E27 - 1x 20W incl. - 1320 lm - 2700K
☼ - IP44
stainless steel - synthetics



**Veranda
16412/47/16**

1 180 → 102 ↗ 125
E27 - 1x 20W incl. - 1320 lm - 2700K
☼ - IP44
synthetics - stainless steel



**Veranda
16411/47/16**

1 180 → 102 ↗ 125
E27 - 1x 20W incl. - 1320 lm - 2700K
☼ - IP44
synthetics - stainless steel



Make the most of your **outdoor space**

Trowel **17339/48/PN**

↑ 200 ↔ 98 ↗ 80
GU10 - 2x max. 5W excl.
☐ - IP44
synthetics



Sundog **17340/47/PN**

↑ 216 ↔ 145 ↗ 96
GU10 - 2x max. 5W excl.
☐ - IP44
stainless steel - synthetics





**Nightingale
17102/47/PN**

1160 → 97 / 82

GU10 - 2x max. 35W excl.

⊕ - IP44

stainless steel - synthetics



**Nightingale
17102/86/PN**

1160 → 80 / 96

GU10 - 2x max. 35W excl.

⊕ - IP44

aluminium - glass



Create light forms of inspiring beauty

Saves
energy

Resistant
high quality
material,
built to last



Robin
15479/30/16

1 260 ↔ 174 ↗ 228

LED - 1x 4,5W incl. - 430 lm - 2700K

⊕ - IP44

aluminium - synthetics



Robin
15470/30/16

1 240 ↔ 174 ↗ 200

LED - 1x 4,5W incl. - 430 lm - 2700K

⊕ - IP44

aluminium - synthetics



Robin
15471/30/16

1 230 ↔ 174 ↗ 200

LED - 1x 4,5W incl. - 430 lm - 2700K

⊕ - IP44

aluminium - synthetics





Robin
15473/30/16

1 855 → 174 ↗ 174

LED - 1x 4,5W incl. - 430 lm - 2700K

☼ - IP44

aluminium - synthetics



Robin
15472/30/16

1 335 → 174 ↗ 174

LED - 1x 4,5W incl. - 430 lm - 2700K

☼ - IP44

aluminium - synthetics



Robin
15475/30/16

1 1917 → 477 ↗ 432

LED - 3x 4,5W incl. - 1290 lm - 2700K

☼ - IP44

aluminium - synthetics





Topiary
01816/30/PN

1 290 ↔ 300 ↗ 350
E27 - 1x max. 60W excl.
☉ - IP44
aluminium - glass



Pasture
16270/30/PN

1 303 ↔ 300 ↗ 355
E27 - 1x max. 60W excl.
☉ - IP44
aluminium - glass



Buzzard
17236/30/PN

1 290 ↔ 130 ↗ 175
E27 - 1x max. 60W excl.
☉ - IP44
aluminium



Hoverfly
17237/30/PN

1 224 ↔ 222 ↗ 248
E27 - 1x max. 60W excl.
☉ - IP44
aluminium - glass







**Alpenglow
16497/30/PN**

† 899 ↔ 174 ↗ 174

E27 - 1x max. 60W excl.

☉ - IP44

aluminium - glass



**Alpenglow Down
16495/30/PN**

† 179 ↔ 174 ↗ 200

E27 - 1x max. 60W excl.

☉ - IP44

aluminium - glass



**Alpenglow
16496/30/PN**

† 302 ↔ 174 ↗ 174

E27 - 1x max. 60W excl.

☉ - IP44

aluminium - glass





Alpenglow
16494/30/PN

1170 → 181 ↗ 130

E27 - 1x max. 42W excl.

☐ - IP44

aluminium - synthetics





Creek
15385/30/16

↑ 1840 → 480 ↗ 450
E27 - 3x max. 60W excl.
⊕ - IP44
aluminium - synthetics



Creek
15386/30/16

↑ 820 → 175 ↗ 175
E27 - 1x max. 60W excl.
⊕ - IP44
aluminium - synthetics



Creek
15383/30/16

↑ 995 → 175 ↗ 175
E27 - 1x max. 60W excl.
⊕ - IP44
aluminium - synthetics



Creek
15388/30/16

↑ 285 → 175 ↗ 200
E27 - 1x max. 60W excl.
⊕ - IP44
aluminium - synthetics



Creek
15387/30/16

↑ 195 → 180 ↗ 130
E27 - 1x max. 60W excl.
⊕ - IP44
aluminium - synthetics





Creeck
15380/30/16

1 235 ↔ 175 ↗ 200
E27 - 1x max. 60W excl.
⊕ - IP44
aluminium - synthetics



Creeck
15381/30/16

1 240 ↔ 175 ↗ 200
E27 - 1x max. 60W excl.
⊕ - IP44
aluminium - synthetics



Creeck
15382/30/16

1 300 ↔ 175 ↗ 175
E27 - 1x max. 60W excl.
⊕ - IP44
aluminium - synthetics





**Creek
15380/31/16**

1 235 → 175 / 200

E27 - 1x max. 60W excl.

☉ - IP44

aluminium - synthetics



**Creek
15381/31/16**

1 240 → 175 / 200

E27 - 1x max. 60W excl.

☉ - IP44

aluminium - synthetics



**Creek
15382/31/16**

1 300 → 175 / 175

E27 - 1x max. 60W excl.

☉ - IP44

aluminium - synthetics



Enjoy
long summer
nights





**Creek
15386/31/16**

1 820 → 175 ↗ 175

E27 - 1x max. 60W excl.

☐ - IP44

aluminium - synthetics



**Creek
15387/31/16**

1 195 → 180 ↗ 130

E27 - 1x max. 60W excl.

☐ - IP44

aluminium - synthetics



**Creek
15388/31/16**

1 285 → 175 ↗ 200

E27 - 1x max. 60W excl.

☐ - IP44

aluminium - synthetics



**Creek
15383/31/16**

1 995 → 175 ↗ 175

E27 - 1x max. 60W excl.

☐ - IP44

aluminium - synthetics



**Creek
15385/31/16**

1 1840 → 480 ↗ 450


E27 - 3x max. 60W excl.

☐ - IP44

aluminium - synthetics



Sensor lights



Always light when you
come home

Philips sensor lights give you a warm welcome every time you come home, and helps to keep you safe at night with the comfort of well-lit walkways, driveways and front areas. They are equipped with infrared motion sensors. These detect movement and switch the light on automatically when you or anyone else visits your home (and switch off again afterwards).

Highlights



206

Capricorn



206

Bustan IR



207

Arbour IR

Tip

"Mount a standalone sensor on one of the corners of your house to detect movement in the widest possible angle and to switch on several light points at the same time."



Concept **benefits**



High quality light with
Philips lamps included



Easy motion sensor set-up



Smart motion sensor for
automatic light switch



Energy saving



Capricorn IR
16456/87/16

↑ 214 ↔ 214 ↗ 78
LED - 1x 6W incl. - 600 lm
☐ - IP44
aluminium



Capricorn IR
16456/93/16 2700K

↑ 214 ↔ 214 ↗ 78
LED - 1x 6W incl. - 600 lm
☐ - IP44
aluminium



Capricorn IR
17297/30/16 2700K

↑ 214 ↔ 214 ↗ 78
LED - 1x 6W incl. - 600 lm
☐ - IP44
synthetics



Samondra IR new
17392/93/PO

↑ 227 ↔ 190 ↗ 90
LED - 1x 12W incl. - 1200 lm - 2700K
☐ - IP44
aluminium - synthetics



Petronia IR new
17395/93/PO

↑ 227 ↔ 190 ↗ 60
LED - 1x 12W incl. - 1200 lm - 2700K
☐ - IP44
aluminium - synthetics



Stock IR
16465/93/16 2700K

↑ 246 ↔ 180 ↗ 88
LED - 1x 6W incl. - 600 lm
☐ - IP44
aluminium



Cockatoo IR
16491/47/PO

↑ 118 ↔ 150 ↗ 173
LED - 1x 8W incl. - 800 lm
☐ - IP44
stainless steel - synthetics



Bustan IR
16484/93/PO 2700K
16484/93/P3

↑ 92 ↔ 220 ↗ 78
LED - 2x 4,5W incl. - 1000 lm
☐ - IP44
aluminium - synthetics



Grass IR
17322/93/16

↑ 128 ↔ 129 ↗ 157
LED - 2x 4,5W incl. - 800 lm
☐ - IP44
aluminium






Arbour IR
16461/93/16 2700K
16461/93/P3 4000K



1 221 → 166 ↗ 75
 LED - 1x 6W incl. - 600 lm
 ☐ - IP44
 aluminium



Border IR
16943/87/16



1 93 → 268 ↗ 155
 E27 - 1x 23W incl. - 1430 lm
 ☉ - IP44
 aluminium - synthetics



Border IR
16943/93/16



1 93 → 268 ↗ 155
 E27 - 1x 23W incl. - 1430 lm
 ☉ - IP44
 aluminium - synthetics



Macaw IR
17317/30/16



1 137 → 127 ↗ 91
 LED - 1x 3,5W incl. - 320 lm
 ☐ - IP44
 synthetics



Herb IR
17299/47/16 2700K



1 162 → 230 ↗ 105
 LED - 1x 6W incl. - 600 lm
 ☐ - IP44
 stainless steel



Python IR
17324/47/16



1 215 → 171 ↗ 96
 LED - 1x 6W incl. - 600 lm
 ☐ - IP44
 stainless steel



Philips myGarden Raccoon wall light with brushed stainless steel look lights up outdoor areas powerfully for whatever you like. LED lights, synthetic materials and minimalist design give a contemporary feel to your outdoor space.

Smart
motion sensor
for automatic
light switch



Veranda IR 16411/47/16

1 180 → 102 ↗ 125
E27 - 1x 20W incl. - 1320 lm
□ - IP44
synthetics - stainless steel

A



Raccoon IR 17274/47/16

1 205 → 162 ↗ 75
LED - 1x 3W incl. - 270 lm
□ - IP44
synthetics - stainless steel

A+



Raccoon IR 17274/93/16

1 205 → 162 ↗ 75
LED - 1x 3W incl. - 270 lm
□ - IP44
synthetics - stainless steel

A+



Make the most of your outdoor space



June IR
16246/87/16

1 195 → 195 / 135
E27 - 1x 12W incl. - 741 lm
☐ - IP44
aluminium - synthetics



June IR
16246/93/16

1 195 → 195 / 135
E27 - 1x 12W incl. - 741 lm
☐ - IP44
aluminium - synthetics



Creek IR
15388/31/16

1 285 → 175 / 200
E27 - 1x max. 60W
☉ - IP44
aluminium - synthetics



Eagle IR 2700K
17318/30/16

1 170 → 170 / 74
LED - 1x 3,5W incl. - 320 lm
☐ - IP44
synthetics



Robin IR
15479/30/16

1 260 → 174 / 228
LED - 1x 4,5W incl. - 430 lm
☉ - IP44
aluminium - synthetics



Creek IR
15388/30/16

1 285 → 175 / 200
E27 - 1x max. 60W
☉ - IP44
aluminium - synthetics





Orientation lights

Illuminate your garden **at night**

Outdoor lighting can improve the look of your garden or outside space, illuminating eye-catching features, lighting pathways with style or creating the perfect ambience for those memorable evenings with friends and family. That's why Philips has created myGarden, a range of beautiful decorative outdoor luminaires with the flair and functionality to help you make the most of your outdoor space in your own style.

Highlights



212

Crust



213

Rock Pin-earthing



212

Moss

Tip

"Some lights are water resistant up to IP67, making them suitable for the hardest applications, such as placement in the driveway or amongst garden foliage."



Concept **benefits**



High quality light with
Philips lamps included



Up to IP67, suitable for use on
path and driveways



Accent lighting, to create your
preferred light scenery



Energy saving



Moss
17306/47/16

↔ 114 ↗ 114 ⊥ 115 Ø105 x105

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP67

synthetics - stainless steel



Crust
17356/47/PO

↔ 115 ↗ 115 ⊥ 115 Ø105 x105

LED - 1x 3W incl. - 270 lm - 2700K

☐ - IP67


stainless steel - synthetics



Decorative
light effects
to enhance your
home façade

Up to
IP67,
suitable for use
on paths and
driveways

Add some outdoor **magic**



Rock Side-earthing
17108/47/16

‡ 230 → 70 / 70
⊕ - IP44
stainless steel



Rock Pin-earthing
17108/47/46

‡ 230 → 70 / 70
⊕ - IP44
stainless steel

01816/30/PN 915005308701   196	15380/30/16 915002789502   201	15380/31/16 915002789602   202	15381/30/16 915002789902   201	15381/31/16 915002790002   202	15382/30/16 915002790502   201
15382/31/16 915002790602   202	15383/30/16 915002790702   200	15383/31/16 915002790802   203	15385/30/16 915002790902   200	15385/31/16 915002791002   203	15386/30/16 915002790102   200
15386/31/16 915002790202   203	15387/30/16 915002790302   200	15387/31/16 915002790402   203	15388/30/16 915002791102   209	15388/31/16 915002791202   209	15470/30/16 915004565701   194
15471/30/16 915004565901   194	15472/30/16 915004566101   195	15473/30/16 915004566201   195	15475/30/16 915004566901   195	15479/30/16 915004565501   209	16245/87/16 915002145705   190
16245/93/16 915002145802   190	16246/87/16 915002145904   209	16246/93/16 915002146002   209	16270/30/PN 915005308801   196	16351/93/16 915003761401   184	16352/93/16 915003762101   184
16353/93/16 915003761501   185	16354/93/16 915003761601   185	16407/93/16 915004499501   174	16408/93/16 915004499601   174	16411/47/16 915004126301   208	16412/47/16 915004125801   191

16413/47/16 915004125901 ⌘ 191	16414/47/16 915004140901 ⌘ 191	16455/87/16 915005192901 ⌘ 168	16455/93/16 915005192801 ⌘ 168	16455/93/P3 915005192802 ⌘ 169	16456/87/16 915005193101 ⌘ 206
16456/93/16 915005193001 ⌘ 206	16456/93/P3 915005193002 ⌘ 169	16459/93/16 915005193701 ⌘ 166	16460/93/16 915005193801 ⌘ 166	16460/93/P3 915005193802 ⌘ 167	16461/93/16 915005193901 ⌘ 207
16461/93/P3 915005193902 ⌘ 207	16462/93/16 915005194001 ⌘ 167	16462/93/P3 915005194002 ⌘ 167	16463/93/16 915005194101 ⌘ 167	16463/93/P3 915005194102 ⌘ 167	16464/93/16 915005194401 ⌘ 170
16465/93/16 915005194501 ⌘ 206	16466/93/16 915005194601 ⌘ 170	16467/93/16 915005194701 ⌘ 170	16480/30/P0 915005377201 ⌘ 160	16481/30/P0 915005378101 ⌘ 160	16482/30/P0 915005378201 ⌘ 160
16483/93/P0 915005378301 ⌘ 162	16483/93/P3 915005378302 ⌘ 163	16484/93/P0 915005378401 ⌘ 206	16484/93/P3 915005378402 ⌘ 206	16485/93/P0 915005378501 ⌘ 162	16485/93/P3 915005378502 ⌘ 163
16486/93/P0 915005378601 ⌘ 162	16486/93/P3 915005378602 ⌘ 163	16487/93/P0 915005378701 ⌘ 164	16487/93/P3 915005378702 ⌘ 165	16488/93/P0 915005378801 ⌘ 164	16488/93/P3 915005378802 ⌘ 165

16489/93/PO 915005378901  8 718696 158937  ⌘ 164	16489/93/P3 915005378902  8 718696 161418  ⌘ 165	16490/47/PO 915005379001  8 718696 158944  ⌘ 176	16491/47/PO 915005379101  8 718696 158951  ⌘ 206	16492/47/PO 915005379201  8 718696 158968  ⌘ 177	16493/47/PO 915005379301  8 718696 158975  ⌘ 177
16494/30/PN 915005382001  8 718696 158142  ⌘ 199	16495/30/PN 915005382101  8 718696 158159  ⌘ 198	16496/30/PN 915005382201  8 718696 158166  ⌘ 198	16497/30/PN 915005382301  8 718696 158173  ⌘ 198	16942/87/16 915003817101  5 413987 123177  ⌘ 189	16942/93/16 915003817201  5 413987 123184  ⌘ 189
16943/87/16 915003817301  5 413987 123191  ⌘ 207	16943/93/16 915003817401  5 413987 123207  ⌘ 207	17102/47/PN 915000131103  8 718696 154007  ⌘ 193	17102/86/PN 915000131203  8 718696 154014  ⌘ 193	17108/47/16 915004203801  8 718291 455394  ⌘ 213	17108/47/46 915004203901  8 718291 455400  ⌘ 213
17166/47/16 915001906902  8 718291 443384  ⌘ 186	17182/87/16 915002149902  8 718291 444329  ⌘ 190	17182/93/16 915002150002  8 718291 444336  ⌘ 190	17185/47/16 915002148002  8 718291 445098  ⌘ 186	17236/30/PN 915005309001  8 718696 156797  ⌘ 196	17237/30/PN 915005309101  8 718696 156803  ⌘ 196
17273/47/16 915004308601  8 718291 479451  ⌘ 175	17273/93/16 915004308701  8 718291 479468  ⌘ 175	17274/47/16 915004308801  8 718291 479475  ⌘ 208	17274/93/16 915004308901  8 718291 479482  ⌘ 208	17287/30/16 915004309901  8 718291 479581  ⌘ 181	17287/47/16 915004309001  8 718291 479499  ⌘ 181
17293/93/16 915005194201  8 718696 131282  ⌘ 178	17293/93/P3 915005194202  8 718696 150504  ⌘ 178	17294/93/16 915005195201  8 718696 131381  ⌘ 173	17296/30/16 915005193601  8 718696 131220  ⌘ 178	17297/30/16 915005197201  8 718696 131626  ⌘ 206	17298/47/16 915005194801  8 718696 131343  ⌘ 180

17299/47/16 915005197501  8 718696 131664  ⌘ 207	17302/30/16 915004435001  8 718291 529378  ⌘ 182	17302/30/P3 915004435002  8 718696 151082  ⌘ 182	17303/47/16 915004434901  8 718291 529361  ⌘ 182	17304/30/16 915004435101  8 718291 529385  ⌘ 183	17305/30/16 915004435201  8 718291 529392  ⌘ 183
17306/47/16 915004498701  8 718696 120606  ⌘ 212	17312/47/16 915004499401  8 718696 120675  ⌘ 173	17314/47/16 915004988801  8 718696 125915  ⌘ 182	17315/47/16 915004988901  8 718696 125922  ⌘ 182	17317/30/16 915004989101  8 718696 125946  ⌘ 207	17318/30/16 915004494001  8 718696 125953  ⌘ 209
17320/30/P3 915005197602  8 718696 150559  ⌘ 179	17320/31/P3 915005197702  8 718696 150566  ⌘ 179	17321/93/16 915005196801  8 718696 131589  ⌘ 171	17322/93/16 915005196901  8 718696 131596  ⌘ 206	17323/47/16 915005197301  8 718696 131640  ⌘ 179	17324/47/16 915005197401  8 718696 131657  ⌘ 207
17335/47/PN 915005301601  8 718696 153901  ⌘ 186	17336/47/PN 915005360901  8 718696 157039  ⌘ 187	17337/87/PN 915005361001  8 718696 157046  ⌘ 187	17337/93/PN 915005361101  8 718696 157053  ⌘ 187	17338/93/PN 915005361201  8 718696 157060  ⌘ 187	17339/48/PN 915005361401  8 718696 157305  ⌘ 192
17340/47/PN 915005361301  8 718696 157077  ⌘ 192	17350/93/PN 915005382401  8 718696 158180  ⌘ 188	17351/93/PO 915005377301  8 718696 158845  ⌘ 172	17352/93/PO 915005382501  8 718696 158982  ⌘ 161	17354/93/PO 915005382701  8 718696 159002  ⌘ 164	17354/93/P3 915005382702  8 718696 161388  ⌘ 165
17356/47/PO 915005395601  8 718696 159019  ⌘ 212	17357/47/PO 915005403801  8 718696 159408  ⌘ 172	17358/47/PO 915005403901  8 718696 159422  ⌘ 172	17360/30/PO 915005427401  8 718696 161258  ⌘ 160	17360/31/PO 915005443201  8 718696 161845  ⌘ 160	17380/30/PN 915005553201  8 718696 165829  ⌘ 158

17382/30/PN 91500553401  8 718696 165843  ¥ 158	17385/43/PN 91500553701  8 718696 165874  ¥ 159	17386/43/PN 91500553801  8 718696 165881  ¥ 159	17387/43/PN 91500553901  8 718696 165898  ¥ 159	17388/43/PN 91500554101  8 718696 165904  ¥ 159	17390/30/PO 915005554301  8 718696 165928  ¥ 156
17391/93/PO 915005554401  8 718696 165935  ¥ 156	17392/93/PO 915005554501  8 718696 165942  ¥ 206	17393/30/PO 915005554701  8 718696 165959  ¥ 156	17394/93/PO 915005554801  8 718696 165966  ¥ 157	17394/93/P3 915005555301  8 718696 166017  ¥ 157	17395/93/PO 915005554901  8 718696 165973  ¥ 206
17807/93/16 915004347601  8 718291 489412  ¥ 153	17808/93/16 915004347701  8 718291 489436  ¥ 153	17809/93/16 915004347501  8 718291 489399  ¥ 153	17825/30/16 915004349301  8 718291 489603  ¥ 153	30136/48/16 915001280805  8 718291 469568  ¥ 53	31110/31/PO 915004575602  8 718696 162804  ¥ 49
31110/31/P3 915004575603  8 718696 162811  ¥ 49	31165/99/P1 915005283003  8 718696 163214  ¥ 65	31166/99/P1 915005499601  8 718696 163221  ¥ 64	31167/99/P1 915005283203  8 718696 163238  ¥ 64	31231/31/PO 915005499201  8 718696 163177  ¥ 60	31231/31/P3 915005499301  8 718696 163184  ¥ 61
31232/31/PO 915005499401  8 718696 163191  ¥ 60	31232/31/P3 915005499501  8 718696 163207  ¥ 61	31233/31/P1 915004985803  8 718696 163245  ¥ 62	31233/31/P3 915005499701  8 718696 163252  ¥ 62	31234/31/P1 915005499801  8 718696 163269  ¥ 62	31234/31/P3 915005499901  8 718696 163276  ¥ 62
31235/31/P1 915005500001  8 718696 163283  ¥ 62	31235/31/P3 915005500101  8 718696 163290  ¥ 62	31236/31/P1 915005500201  8 718696 163306  ¥ 63	31236/31/P3 915005500301  8 718696 163313  ¥ 63	31237/31/P1 915005500401  8 718696 163320  ¥ 64	31238/31/P1 915005500501  8 718696 163337  ¥ 64

31240/67/16 915005085601 8 718696 128282 ¥ 52	31245/31/P0 915005683901 8 718696 169391 ¥ 58	31245/31/P3 915005684001 8 718696 169407 ¥ 58	31246/31/P0 915005683902 8 718696 169414 ¥ 58	31246/31/P3 915005684101 8 718696 169421 ¥ 58	31247/31/P3 915005684201 8 718696 169445 ¥ 59
31248/31/P3 915005684401 8 718696 169469 ¥ 59	31801/31/16 915004469001 8 718291 533085 ¥ 50	31801/31/EO 915005503501 8 718696 163580 ¥ 50	31802/31/16 915004469101 8 718291 533092 ¥ 50	31802/31/EO 915005503701 8 718696 163603 ¥ 50	31803/31/16 915004469201 8 718291 533108 ¥ 50
31803/31/EO 915005503901 8 718696 163627 ¥ 50	31814/31/16 915004571201 8 718696 122822 ¥ 46	31814/31/17 915004571601 5 413987 155857 ¥ 46	31814/87/16 915004571301 8 718696 122839 ¥ 46	31814/87/17 915004571701 8 718696 122860 ¥ 46	31815/31/16 915004571401 8 718696 122846 ¥ 46
31815/87/16 915004571501 8 718696 122853 ¥ 46	8718696129586 915005109601 8 718696 129586 ¥ 45	8718696129579 915005109501 8 718696 129579 ¥ 45	31821/31/P5 915005315604 8 718696 162774 ¥ 44	31822/31/P5 915005315707 8 718696 162781 ¥ 44	31823/31/P5 915005315708 8 718696 162798 ¥ 44
32005/31/16 915000517004 8 718291 475804 ¥ 127	32010/11/16 915000173004 8 718291 475071 ¥ 127	32010/17/16 915000173105 8 718291 475088 ¥ 127	32020/67/16 915000056603 8 718291 455608 ¥ 127	32053/31/16 915004203501 8 718291 455363 ¥ 127	32054/11/16 915004203401 8 718291 455356 ¥ 127
32065/31/16 915004203701 8 718291 455387 ¥ 126	32066/31/16 915000518904 8 718291 475828 ¥ 127	32081/31/16 915002288504 8 718291 474388 ¥ 127	32096/31/P0 915005297001 8 718696 153222 ¥ 49	32809/31/P0 915005676601 8 718696 169285 ¥ 42	32810/31/P0 915005676801 8 718696 169308 ¥ 42

33044/11/P0 915005243601  8 718696 152065  ¥ 119	33051/11/16 915004432701  8 718291 529996  ¥ 55	33087/17/16 915000536105  8 718291 476399  ¥ 56	33178/17/16 915001464403  8 718291 463351  ¥ 53	33200/87/16 915001798203  8 718291 469681  ¥ 53	33246/31/16 915002563702  8 718291 455714  ¥ 53
33361/31/16 915004570701  8 718696 122778  ¥ 48	33361/31/17 915004987101  8 718696 125786  ¥ 48	33362/31/16 915004570801  8 718696 122785  ¥ 48	33362/31/17 915004987201  8 718696 125793  ¥ 48	33365/31/16 915004570901  8 718696 122792  ¥ 48	33365/31/17 915004987301  8 718696 125809  ¥ 48
33365/31/P0 915005296901  8 718696 153215  ¥ 49	33515/31/16 915004994801  8 718696 126196  ¥ 54	33516/17/16 915004994901  8 718696 126202  ¥ 54	33517/31/16 915004995001  8 718696 126219  ¥ 54	33622/31/16 915004417101  8 718291 505846  ¥ 55	34024/11/16 915004570001  8 718696 122761  ¥ 118
34049/11/16 915004203101  8 718291 455325  ¥ 118	34053/11/16 915004202801  8 718291 455295  ¥ 125	34054/11/16 915004202901  8 718291 455301  ¥ 125	34055/11/16 915004203001  8 718291 455318  ¥ 125	34081/11/16 915001285203  8 718291 474425  ¥ 124	34082/11/16 915001285303  8 718291 474432  ¥ 124
34083/11/16 915001285403  8 718291 474449  ¥ 124	34086/11/16 915001285804  8 718291 474272  ¥ 125	34171/11/P0 915005492301  8 718696 162866  ¥ 123	34172/11/P0 915005492401  8 718696 162835  ¥ 123	34173/11/P0 915005492501  8 718696 162842  ¥ 123	34174/11/P0 915005492601  8 718696 162859  ¥ 123
34341/11/P0 915005477601  8 718696 162484  ¥ 121	34342/11/P0 915005477701  8 718696 162491  ¥ 121	34343/11/P0 915005477801  8 718696 162507  ¥ 121	34344/31/P0 915005477901  8 718696 162514  ¥ 119	34345/31/P0 915005296902  8 718696 162521  ¥ 119	34346/87/P0 915004571302  8 718696 162545  ¥ 119

34347/87/PO 915004571502  8 718696 162552  ⌘ 119	36017/38/E7 915005217701  8 718696 132807  ⌘ 33	36018/38/E7 915005217801  8 718696 132814  ⌘ 33	36032/30/E7 915005218501  8 718696 132883  ⌘ 36	36056/31/E7 915005218701  8 718696 132906  ⌘ 32	36134/38/E7 915005219001  8 718696 132937  ⌘ 34
36532/05/E7 915005218401  8 718696 132876  ⌘ 37	36532/30/E7 915005218301  8 718696 132869  ⌘ 37	36539/05/E7 915005218201  8 718696 132852  ⌘ 37	38828/17/P1 915005308101  8 718696 154694  ⌘ 57	38829/17/P1 915005308201  8 718696 154700  ⌘ 57	38921/17/P1 915005308301  8 718696 154717  ⌘ 31
38922/17/P1 915005308401  8 718696 154724  ⌘ 31	40887/30/PN 915005489301  8 718696 162644  ⌘ 26	40887/31/PN 915005310701  8 718696 156513  ⌘ 26	40913/30/PN 915005489501  8 718696 162668  ⌘ 27	40913/31/PN 915005310801  8 718696 156520  ⌘ 27	40914/21/PN 915005310901  8 718696 156537  ⌘ 29
40917/31/PN 915005311001  8 718696 156544  ⌘ 28	40918/31/PN 915005311101  8 718696 156551  ⌘ 28	40933/31/PN 915005311201  8 718696 156568  ⌘ 24	40934/31/PN 915005311301  8 718696 156575  ⌘ 24	40950/31/PN 915005311501  8 718696 156599  ⌘ 30	40954/31/PN 915005311601  8 718696 156605  ⌘ 33
40963/31/PN 915005489201  8 718696 162637  ⌘ 25	42261/30/16 915004097801  8 718291 439752  ⌘ 35	42261/87/16 915004098001  8 718291 439776  ⌘ 35	45590/17/16 915004205101  8 718291 455578  ⌘ 52	45590/31/16 915004205201  8 718291 455585  ⌘ 52	45591/31/16 915004204701  8 718291 455486  ⌘ 52
50135/11/P1 915005496601  8 718696 163085  ⌘ 105	50136/11/P1 915005496701  8 718696 163092  ⌘ 105	50137/11/P1 915005496801  8 718696 163108  ⌘ 105	50138/11/P1 915005496901  8 718696 163115  ⌘ 105	50151/11/PN 915005495501  8 718696 162989  ⌘ 111	50155/11/PN 915005495601  8 718696 162996  ⌘ 111

50157/11/PN 915005495701  8 718696 163009  ⌘ 111	50158/11/PN 915005495801  8 718696 163016  ⌘ 111	50161/11/PN 915005497001  8 718696 163122  ⌘ 111	50181/31/PN 915005418301  8 718696 160367  ⌘ 139	50183/31/PN 915005418701  8 718696 160404  ⌘ 139	50191/31/PN 915005416801  8 718696 160213  ⌘ 139
50193/31/PN 915005418401  8 718696 160374  ⌘ 139	50230/17/E7 915005219301  8 718696 132968  ⌘ 106	50232/17/E7 915005219401  8 718696 132975  ⌘ 106	50233/17/E7 915005219501  8 718696 132982  ⌘ 106	50234/17/E7 915005219601  8 718696 132999  ⌘ 106	50236/17/E7 915005219701  8 718696 133002  ⌘ 106
50243/11/E1 915005220001  8 718696 133033  ⌘ 112	50244/11/E1 915005220101  8 718696 133040  ⌘ 112	50250/17/E1 915005220301  8 718696 133064  ⌘ 104	50252/17/E1 915005220401  8 718696 133071  ⌘ 104	50253/17/E1 915005220501  8 718696 133088  ⌘ 104	50254/17/E1 915005220601  8 718696 133095  ⌘ 104
50256/17/E1 915005220701  8 718696 133101  ⌘ 104	50270/11/E7 915005220801  8 718696 133118  ⌘ 110	50272/11/E7 915005220901  8 718696 133125  ⌘ 110	50273/11/E7 915005221001  8 718696 133132  ⌘ 110	50274/11/E7 915005221101  8 718696 133149  ⌘ 110	50280/11/E7 915005221201  8 718696 133156  ⌘ 107
50282/11/E7 915005221301  8 718696 133163  ⌘ 107	50283/11/E7 915005221401  8 718696 133170  ⌘ 107	50284/11/E7 915005221501  8 718696 133187  ⌘ 107	50300/17/E7 915005221601  8 718696 133194  ⌘ 109	50302/17/E7 915005221701  8 718696 133200  ⌘ 109	50303/17/E7 915005221801  8 718696 133217  ⌘ 109
50304/17/E7 915005221901  8 718696 133224  ⌘ 109	50306/17/E7 915005222001  8 718696 133231  ⌘ 109	50310/17/E7 915005222101  8 718696 133248  ⌘ 108	50312/17/E7 915005222201  8 718696 133255  ⌘ 108	50313/17/E7 915005222301  8 718696 133262  ⌘ 108	50314/17/E7 915005222401  8 718696 133279  ⌘ 108

50316/17/E7 915005222501  8 718696 133286	50391/05/PN 915005423201  8 718696 160862	50391/11/PN 915005423101  8 718696 160855	50391/17/PN 915005422901  8 718696 160831	50391/99/PN 915005423401  8 718696 160886	50393/05/PN 915005423901  8 718696 160930
					
¥ 108	¥ 140	¥ 140	¥ 140	¥ 140	¥ 141
50393/11/PN 915005423801  8 718696 160923	50393/17/PN 915005423501  8 718696 160893	50393/99/PN 915005424001  8 718696 160947	50401/05/PN 915005424501  8 718696 160992	50401/11/PN 915005424401  8 718696 160985	50401/17/PN 915005424201  8 718696 160961
					
¥ 141	¥ 141	¥ 141	¥ 142	¥ 142	¥ 142
50401/99/PN 915005424601  8 718696 161005	50403/05/PN 915005425001  8 718696 161043	50403/11/PN 915005424901  8 718696 161036	50403/17/PN 915005424701  8 718696 161012	50403/99/PN 915005425101  8 718696 161050	50441/11/PO 915005527101  8 718696 164426
					
¥ 142	¥ 143	¥ 143	¥ 143	¥ 143	¥ 77
50442/11/PO 915005527201  8 718696 164433	50443/11/PO 915005527301  8 718696 164440	50444/11/PO 915005527401  8 718696 164457	50491/30/PO 915005528001  8 718696 164518	50491/31/PO 915005527901  8 718696 164501	50492/30/PO 915005528201  8 718696 164532
					
¥ 76	¥ 77	¥ 77	¥ 75	¥ 74	¥ 75
50492/31/PO 915005528101  8 718696 164525	50494/30/PO 915005528401  8 718696 164556	50494/31/PO 915005528301  8 718696 164549	50561/11/PO 915005528501  8 718696 164563	50562/11/PO 915005528601  8 718696 164570	50563/11/PO 915005528701  8 718696 164587
					
¥ 74	¥ 75	¥ 74	¥ 78	¥ 78	¥ 79
50564/11/PO 915005528801  8 718696 164594	50571/31/PN 915005529101  8 718696 164624	50571/48/PN 915005529001  8 718696 164617	50572/31/PN 915005529501  8 718696 164662	50572/48/PN 915005529401  8 718696 164655	50573/31/PN 915005529901  8 718696 164709
					
¥ 78	¥ 90	¥ 91	¥ 90	¥ 91	¥ 90

50573/48/PN 915005529801  8 718696 164693	50574/31/PN 915005530301  8 718696 164747	50574/48/PN 915005530201  8 718696 164730	50581/30/PN 915005530701  8 718696 164785	50581/31/PN 915005530501  8 718696 164761	50582/30/PN 915005531001  8 718696 164815
					
⌘ 91	⌘ 90	⌘ 91	⌘ 93	⌘ 92	⌘ 93
50582/31/PN 915005530801  8 718696 164792	50583/30/PN 915005531301  8 718696 164846	50583/31/PN 915005531101  8 718696 164822	50584/30/PN 915005531601  8 718696 164877	50584/31/PN 915005531401  8 718696 164853	50591/30/PN 915005531701  8 718696 164884
					
⌘ 92	⌘ 93	⌘ 92	⌘ 93	⌘ 92	⌘ 95
50591/48/PN 915005531801  8 718696 164891	50592/30/PN 915005531901  8 718696 164907	50592/48/PN 915005532001  8 718696 164914	50593/30/PN 915005532101  8 718696 164921	50593/48/PN 915005532201  8 718696 164938	50594/30/PN 915005532301  8 718696 164945
					
⌘ 94	⌘ 95	⌘ 94	⌘ 95	⌘ 94	⌘ 95
50594/48/PN 915005532401  8 718696 164952	50601/31/PO 915005687301  8 718696 169520	50602/31/PO 915005687601  8 718696 169551	50603/31/PO 915005687701  8 718696 169568	50604/31/PO 915005687901  8 718696 169582	50611/30/PO 915005688201  8 718696 169612
					
⌘ 94	⌘ 70	⌘ 70	⌘ 70	⌘ 71	⌘ 85
50611/31/PO 915005688101  8 718696 169605	50612/30/PO 915005688401  8 718696 169636	50612/31/PO 915005688301  8 718696 169629	50613/30/PO 915005695601  8 718696 169971	50613/31/PO 915005695701  8 718696 169988	50614/30/PO 915005695801  8 718696 169995
					
⌘ 84	⌘ 85	⌘ 84	⌘ 84	⌘ 85	⌘ 84
50614/31/PO 915005695901  8 718696 170007	50651/30/PO 915005696001  8 718696 170014	50652/30/PO 915005696201  8 718696 170038	50653/30/PO 915005696401  8 718696 170052	50654/30/PO 915005696601  8 718696 170076	50661/31/PO 915005696801  8 718696 170090
					
⌘ 85	⌘ 82	⌘ 82	⌘ 83	⌘ 82	⌘ 72

50662/31/P0 915005697001  8 718696 170113  ¥ 73	50663/31/P0 915005697201  8 718696 170137  ¥ 73	50664/31/P0 915005697401  8 718696 170151  ¥ 73	50671/30/P0 915005697601  8 718696 170175  ¥ 68	50671/31/P0 915005697701  8 718696 170182  ¥ 69	50672/30/P0 915005697801  8 718696 170199  ¥ 68
50672/31/P0 915005697901  8 718696 170205  ¥ 69	50673/30/P0 915005698001  8 718696 170212  ¥ 68	50673/31/P0 915005698101  8 718696 170229  ¥ 69	50674/30/P0 915005698201  8 718696 170236  ¥ 68	50674/31/P0 915005698301  8 718696 170243  ¥ 69	53090/31/12 915004328701  8 718291 487920  ¥ 96
53090/48/12 915004328801  8 718291 487937  ¥ 96	53092/31/12 915004328901  8 718291 487944  ¥ 97	53092/48/12 915004329001  8 718291 487951  ¥ 97	53093/31/12 915004327601  8 718291 487838  ¥ 97	53093/48/12 915004327701  8 718291 487845  ¥ 97	53094/31/12 915004327801  8 718291 487852  ¥ 97
53094/48/12 915004327901  8 718291 487869  ¥ 97	53170/31/16 915004330801  8 718291 488132  ¥ 86	53170/31/P0 915005306201  8 718696 154533  ¥ 80	53170/48/16 915004330901  8 718291 488149  ¥ 87	53172/31/16 915004331001  8 718291 488156  ¥ 86	53172/31/P0 915005306001  8 718696 154519  ¥ 80
53172/48/16 915004331101  8 718291 488163  ¥ 87	53174/31/16 915004333801  8 718291 488439  ¥ 86	53174/31/P0 915005306101  8 718696 154526  ¥ 80	53174/48/16 915004333901  8 718291 488446  ¥ 87	53200/31/16 915004330601  8 718291 488118  ¥ 102	53202/31/16 915004333701  8 718291 488422  ¥ 102
53230/31/16 915004339201  8 718291 488644  ¥ 102	53231/31/16 915004341101  8 718291 488835  ¥ 102	53232/31/16 915004436501  8 718291 529521  ¥ 102	53234/31/16 915004437101  8 718291 529682  ¥ 102	53300/30/16 915004934901  8 718696 125175  ¥ 88	53300/31/16 915004934801  8 718696 125168  ¥ 88

53302/30/16 915004935101  8 718696 125199  ¥ 88	53302/31/16 915004935001  8 718696 125182  ¥ 88	53310/17/16 915004935901  8 718696 125274  ¥ 88	53312/17/16 915004936001  8 718696 125281  ¥ 89	53313/17/16 915004936101  8 718696 125298  ¥ 89	53340/17/16 915004937401  8 718696 125427  ¥ 98
53340/31/16 915004937501  8 718696 125434  ¥ 99	53342/17/16 915004937601  8 718696 125441  ¥ 98	53342/31/16 915004937701  8 718696 125458  ¥ 99	53343/17/16 915004937801  8 718696 125465  ¥ 98	53343/31/16 915004937901  8 718696 125472  ¥ 99	53344/17/16 915004938001  8 718696 125489  ¥ 98
53344/31/16 915004938101  8 718696 125496  ¥ 99	55810/11/PN 915005391901  5 413987 242519  ¥ 113	55812/11/PN 915005392301  5 413987 242557  ¥ 113	55814/11/PN 915005392101  5 413987 242533  ¥ 112	55819/11/PN 915005392001  5 413987 242526  ¥ 113	56240/31/16 915004145901  8 718291 444848  ¥ 101
56240/31/P0 915005307101  8 718696 154625  ¥ 81	56242/31/16 915004146101  8 718291 444862  ¥ 101	56242/31/P0 915005307201  8 718696 154632  ¥ 81	56243/31/16 915004146301  8 718291 444886  ¥ 101	56243/31/P0 915005307301  8 718696 154649  ¥ 81	56244/31/16 915004146501  8 718291 444909  ¥ 100
56244/31/P0 915005307401  8 718696 154656  ¥ 81	56330/30/PN 915001807703  8 718696 156179  ¥ 103	56330/31/PN 915001808003  8 718696 156193  ¥ 103	56332/30/PN 915001807803  8 718696 155905  ¥ 103	56332/31/PN 915001807903  8 718696 156186  ¥ 103	59005/11/P0 915005243201  8 718696 152027  ¥ 120
59006/11/P0 915005243301  8 718696 152034  ¥ 120	59007/11/P0 915005243401  8 718696 152041  ¥ 120	59008/11/P0 915005243501  8 718696 152058  ¥ 120	59180/31/16 915004935201  8 718696 125205  ¥ 132	59180/48/16 915004935301  8 718696 125212  ¥ 132	59183/31/16 915004935401  8 718696 125229  ¥ 132

59183/48/16 915004935501  8 718696 125236	59190/17/16 915004935601  8 718696 125243	59193/17/16 915004935701  8 718696 125250	59521/31/P1 915005508101  8 718696 163726	59521/31/P3 915005508201  8 718696 163733	59523/31/P1 915005508301  8 718696 163740
					
⌘ 132	⌘ 132	⌘ 132	⌘ 135	⌘ 135	⌘ 135
59523/31/P3 915005508401  8 718696 163757	59529/31/P1 915005508501  8 718696 163764	59529/31/P3 915005508601  8 718696 163771	59831/31/P1 915005507801  8 718696 163689	59831/31/P3 915005507901  8 718696 163696	59832/31/P1 915005508001  8 718696 163719
					
⌘ 135	⌘ 135	⌘ 135	⌘ 134	⌘ 134	⌘ 134
59832/31/P3 915005509401  8 718696 163702	61079/31/P5 915005676201  8 718696 169247	61083/31/P5 915005676301  8 718696 169254	61086/31/P5 915005676401  8 718696 169261	62233/31/P0 915005297201  8 718696 153246	62234/31/P0 915005297101  8 718696 153239
					
⌘ 134	⌘ 40	⌘ 40	⌘ 40	⌘ 49	⌘ 49
70101/31/P2 915005517601  8 718696 164273	70101/31/P6 915005517701  8 718696 164280	70102/31/P2 915005517101  8 718696 164228	70102/31/P6 915005517301  8 718696 164242	77050/17/16 915001114110  8 718291 469629	85086/31/16 915005058701  8 718696 127506
					
⌘ 148	⌘ 149	⌘ 148	⌘ 149	⌘ 53	⌘ 60
85087/31/16 915004985802  8 718696 127490	85088/31/16 915005059001  8 718696 127537	85089/31/16 915005058901  8 718696 127520	8718699696214 915005777620  8 718699 696214	8718699681036 915005777601  8 718699 681036	8718699681050 915005777701  8 718699 681050
					
⌘ 60	⌘ 61	⌘ 61	⌘ 47	⌘ 47	⌘ 47
8718699681098 915005778201  8 718699 681098	8718699681111 915005778301  8 718699 681111	8718699681135 915005778801  8 718699 681135	8718699681159 915005778901  8 718699 681159	8718696173565 915005805401  8 718696 173565	8718696173572 915005805501  8 718696 173572
					
⌘ 47	⌘ 47	⌘ 47	⌘ 47	⌘ 136	⌘ 136

8718696173589 915005805601  8718696173589  ⌘ 136	8718696173596 915005805701  8718696173596  ⌘ 136	8718696173602 915005805801  8718696173602  ⌘ 136	8718696173619 915005805901  8718696173619  ⌘ 136	8718696173626 915005806001  8718696173626  ⌘ 138	8718696173633 915005806101  8718696173633  ⌘ 138
8718696173640 915005806201  8718696173640  ⌘ 138	8718696173657 915005806301  8718696173657  ⌘ 136	8718696173664 915005806401  8718696173664  ⌘ 136	8718696173671 915005806501  8718696173671  ⌘ 136	8718696173688 915005806601  8718696173688  ⌘ 138	8718696173695 915005806701  8718696173695  ⌘ 138
8718696173701 915005806801  8718696173701  ⌘ 138	8718696173718 915005806901  8718696173718  ⌘ 137	8718696173725 915005807001  8718696173725  ⌘ 137	8718696173732 915005807101  8718696173732  ⌘ 137	8718696173749 915005807201  8718696173749  ⌘ 137	8718696173756 915005807301  8718696173756  ⌘ 137
8718696173763 915005807401  8718696173763  ⌘ 137	8718696173831 915005810201  8718696173831  ⌘ 41	8718696173848 915005810301  8718696173848  ⌘ 41	8718699680954 915005772801  8718699680954  ⌘ 41	8718699680978 915005776701  8718699680978  ⌘ 43	8718699680992 915005776801  8718699680992  ⌘ 43
8718699681012 915005776901  8718699681012  ⌘ 43	8718699681074 915005777901  8718699681074  ⌘ 43	8718699680596 929002209401  8718699680596  ⌘ 51	8718699680619 929002209501  8718699680619  ⌘ 51	8718699680534 929002215901  8718699680534  ⌘ 51	8718699680558 929002216001  8718699680558  ⌘ 51
8718699729035 915005775331  8718699729035  ⌘ 51	8718699729059 915005775931  8718699729059  ⌘ 51	8718699729073 915005776531  8718699729073  ⌘ 51	8718696173770 915005808301  8718696173770  ⌘ 133	8718696173787 915005808401  8718696173787  ⌘ 133	8718696173794 915005808501  8718696173794  ⌘ 133

8718696173800
915005808601



8 718696 173800



⌘ 133

8718696173817
915005808701



8 718696 173817



⌘ 133

8718696173824
915005808801










8 718696 173824



⌘ 133

Explanation of symbols



Light sources



